

## Publications – by number

1. Synthesis of rhodium (II) pyrazolate complexes. Crystal structure of tetra- $\mu$ -3,5-dimethylpyrazolato dirhodium (II) bis-acetonitrile, (Rh-Rh). A. R. Barron, G. Wilkinson, M. Motevalli, and M. B. Hursthouse, *Polyhedron*, 1985, **4**, 1131-1134.
2. The synthesis and structure of a new type of bridged hydrido-aluminate complex: 1,2;1,2;2,3;2,3-tetra- $\mu$ -hydrido-1,1,1,2,3,3,3,-heptahydrido-1,1,1,3,3,3,-hexakis(trimethylphosphine)-1,3,-ditungsten-(IV)-2-aluminum. A. R. Barron, M. Motevalli, M. B. Hursthouse, and G. Wilkinson, *J. Chem. Soc., Chem. Commun.*, 1985, 664-665.
3. Synthesis and characterization of tungsten and rhenium alumino-polyhydrides: X-ray crystal structure of  $(\text{Me}_3\text{P})_3\text{H}_3\text{W}(\mu\text{-H})_2\text{AlH}(\mu\text{-O}^n\text{Bu})_2$  and  $[(\text{Me}_3\text{P})_3\text{H}_3\text{W}(\mu\text{-H})_2\text{AlH}_3]$ . A. R. Barron, D. Lyons, G. Wilkinson, M. Motevalli, A. J. Howes, and M. B. Hursthouse, *J. Chem. Soc., Dalton Trans.*, 1986, 279-285.
4. Tertiary phosphine aluminohydride complexes of ruthenium and osmium. A. R. Barron and G. Wilkinson, *J. Chem. Soc., Dalton Trans.*, 1986, 287-289.
5. Tertiary phosphine aluminohydride complexes of chromium, molybdenum, and tungsten. A. R. Barron, J. E. Salt, and G. Wilkinson, *J. Chem. Soc., Dalton Trans.*, 1986, 1329-1332.
6. Transition metal polyhydride anions: a new synthetic route. X-ray crystal structure of  $\{[(\text{Me}_3\text{P})_3\text{WH}_5]\text{Li}\}_4$ . A. R. Barron, M. B. Hursthouse, M. Motevalli, and G. Wilkinson, *J. Chem. Soc., Chem. Commun.*, 1986, 81-82.
7. Transition metal aluminohydride complexes. A. R. Barron and G. Wilkinson, *Polyhedron*, 1986, **5**, 1897-1915.
8. Tertiary phosphine borohydride complexes of chromium, tungsten and rhenium. Crystal structure of trans-hydrido-( $\eta^2$ -tetrahydridoborato)-bis [1,2-bis(dimethylphosphino)ethane]chromium (II). A. R. Barron, J. E. Salt, G. Wilkinson, M. Motevalli, and M. B. Hursthouse, *Polyhedron*, 1986, **5**, 1833-1837.
9. Reactions of alumino-polyhydride complexes of tungsten. X-ray crystal structures of  $[(\text{Me}_3\text{P})_3\text{H}_3\text{W}(\mu\text{-H})_2\text{AlCl}(\mu\text{-N}=\text{CHEt})_2]$ ,  $\{[(\text{Me}_3\text{P})_3\text{WH}_5]\text{Li}\}_4$ ,  $(\text{Me}_3\text{P})_3\text{WH}_2\text{I}(\text{SiMe}_3)$  and  $(\text{Me}_3\text{P})_3\text{H}_2\text{W}(\mu\text{-H})_3\text{AlCl}_2\text{NMe}_3$ . A. R. Barron, G. Wilkinson, M. Motevalli, and M. B. Hursthouse, *J. Chem. Soc., Dalton Trans.*, 1987, 837-846.
10. Crystal structure of hydridochloro(carbonyl)tris-(diphenylmethylphosphine)ruthenium (II)  $[\text{RuHCl}(\text{CO})(\text{PPh}_2\text{Me})_3]$ . M. Motevalli, M. B. Hursthouse, A. R. Barron, and G. Wilkinson, *Acta Crystallogr. C.*, 1987, **43**, 214-216.
11. The chemistry of chromium nitrile complexes of 1,2-bis(dimethylphosphino)ethane. X-ray crystal structure of trans- $[\text{Cr}^{\text{IV}}\text{Cl}(\text{NEt})(\text{dmpe})_2]\text{CF}_3\text{SO}_3$ , trans- $[\text{Cr}^{\text{IV}}(\text{N}=\text{CHMe})_2(\text{dmpe})_2](\text{BPh}_4)_2$  and trans- $[\text{Cr}(\text{H.NCMe})_2(\text{dmpe})_2](\text{BPh}_4)_2$ . A. R. Barron, J. E. Salt, G. Wilkinson, M. Motevalli, and M. B. Hursthouse, *J. Chem. Soc., Dalton Trans.*, 1987, 2947-2854.
12. Organonitrile complexes of iron and ruthenium. X-ray crystal structure of trans- $[\text{Fe}(\text{NCMe})_2(\text{dmpe})_2](\text{BPh}_4)_2$ . A. R. Barron, G. Wilkinson, M. Motevalli, and M. B. Hursthouse, *Polyhedron*, 1987, **6**, 1089-1095.

13. Remarkable differences in the reactivities of the E and Z isomers of a phospho-alkene. A. R. Barron, S. W. Hall, and A. H. Cowley, *J. Chem. Soc., Chem. Commun.*, 1987, 980-981.
14. Synthesis of a metal-free tri-co-ordinate phosphorus(V) hydride and its conversion to a phospho-alkene via a reductive hydride shift. A.R. Barron and A.H. Cowley, *J. Chem. Soc., Chem. Commun.*, 1987, 1092-1093.
15.  $(\eta^5\text{-C}_5\text{H}_5)\text{Fe}(\text{CO})_2\text{-}\mu^1\text{-P}[\text{C}(\text{SiMe}_3)_2]_2$ , the first three coordinate metallo-bis(methylene)phosphorane. A. R. Barron and A. H. Cowley, *J. Chem. Soc., Chem. Commun.*, 1987, 1272-1273.
16. *Bis*(ylids) of phosphorus (V) and their structural Isomers: An *Ab Initio* study. K. D. Dobbs, J. E. Boggs, A. R. Barron, and A. H. Cowley, *J. Phys. Chem.*, 1988, **92**, 4886-4892.
17. Cyclotrimerization of a phospho-alkyne and the formation of a coordinated 1,3,5-triphosphabenzene. A. R. Barron and A. H. Cowley, *Angew. Chem., Int. Ed. Engl.*, 1987, **26**, 907-908.
18. Cyclic carboxylic monophosphides: A new class of phosphorus heterocycles. A. R. Barron, S. W. Hall and A. H. Cowley, *J. Chem. Soc., Chem. Commun.*, 1987, 1753-1754.
19. Preparation and structural characterization of a stibido-indium dimer. A. R. Barron, A. H. Cowley, R. A. Jones, C. M. Nunn, and D. L. Westmoreland, *Polyhedron*, 1988, **7**, 77-78.
20. Reaction of the phospho-alkyne  $\text{ArC}\equiv\text{P}$  ( $\text{Ar} = 2,4,6\text{-}^t\text{Bu}_3\text{C}_4\text{H}_3$ ) with nucleophiles: A new approach to 1,3-diphosphabutadiene synthesis. A. R. Barron, A. H. Cowley, and S. W. Hall, *J. Chem. Soc., Chem. Commun.*, 1988, 171-172.
21. The quest for terminal phosphinidene complexes. A. R. Barron and A. H. Cowley, *Acc. Chem. Res.*, 1988, **21**, 81.
22. Structure of pentacarbonyl tris(trimethylsilyl) phosphine iron (0). A. R. Barron, A. H. Cowley, and C. M. Nunn, *Acta. Crystallogr. C.*, 1988, **44**, 750.
23. Some diphenylphosphinoethane complexes of molybdenum (0) and (II). A. R. Barron, S. J. Anderson, K. McGregor, and G. Wilkinson, *Polyhedron*, 1989, **8**, 2599-2602.
24. Formation of the diphosphatricyclo[1,1,1,0]pentane ring system via phospho-alkyne dimerisation and carbon monoxide incorporation. A. R. Barron, A. H. Cowley, and S. W. Hall, *Angew. Chem., Int. Ed. Engl.*, 1988, **27**, 837-838.
25. Adducts of trimethylaluminium with phosphine ligands; electronic and steric effects. A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1988, 3047-3050.
26. Sterically crowded aryloxy complexes of aluminum. M. D. Healy, D. A. Wierda, and A. R. Barron, *Organometallics*, 1988, **7**, 2543.
27. Oxidation and hydrolysis of  $(\text{Me}_2\text{InPPh}_2)_2$ : X-ray structure of  $[\text{InMe}(\text{OH})(\text{O}_2\text{PPh}_2)]_4\cdot(\text{py})_4$  an  $\text{In}_4\text{O}_4$  cube. A. M. Arif and A. R. Barron, *Polyhedron*, 1988, **7**, 2091-2094.

28. Molecular structure of  $\alpha$ -trans-cinnamic acid. D. A. Wierda, T. Feng, and A. R. Barron, *Acta. Crystallogr. C.*, 1989, **45**, 338.
29. Adducts of trimethylaluminum with phosphine ligands: X-ray structure of  $\text{Me}_3\text{AlPPh}_3$  and  $\text{Me}_3\text{AlP(o-tolyl)}_3$ . D. A. Wierda and A. R. Barron, *Polyhedron*, 1989, **8**, 831-834.
30. The reaction of indium(III)chloride with tris(trimethyl-silyl)phosphine: A novel route to indium-phosphide. M. D. Healy, P. E. Laibinis, P. D. Stupik and A. R. Barron, *J. Chem. Soc., Chem. Commun.*, 1989, 359-360.
31. Synthesis and molecular structure of  $\{[\text{N}(\text{CH}_2\text{CH}_2\text{O})_3\text{Al}_2(\text{CH}_3)_3]\}_2$  The first six-coordinate aluminum alkyl. M. D. Healy and A. R. Barron, *J. Am. Chem. Soc.*, 1989, **111**, 398.
32. The synthesis of InP from  $\text{InX}_3$  ( $x = \text{Cl, Br, I}$ ) and  $\text{P}(\text{SiMe}_3)_3$ . M. D. Healy, P. E. Laibinis, P. D. Stupik, and A. R. Barron. *Mat. Res. Soc. Symp. Proc.*, 1989, **131**, 83.
33. Synthesis and characterization of benzylindium compounds. A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1989, 1625-1626.
34. Synthesis of 1,3-diphenyltriazene complexes of aluminum, gallium and indium: Crystal structure of tris(1,3-diphenyl-triazenido)aluminum(III). J. T. Leman, A. R. Barron, J. W. Ziller, and R. M. Kren, *Polyhedron*, 1989, **8**, 1909-1912.
35. Crystal and molecular structure of cyclo-pentamethylene-tert-butylarsanehydroxybromide. J. Pasterczyk and A. R. Barron, *J. Cryst. Spec. Res.*, 1990, **20**, 85.
36. Synthesis and structure of cyclo- $(\text{CH}_2)_5\text{As}(\text{OH})_2$  cation: A protonated arsenic acid. J. Pasterczyk, A. M. Arif, and A. R. Barron, *J. Chem. Soc., Chem. Commun.*, 1989, 829-830.
37. Silicon-based Oxidation-resistant coatings on niobium metal. P. D. Stupik, P. E. Laibinis, and A. R. Barron, Industry-University Advanced Materials Conference II, Proceedings, 1990, 398.
38. Mesitylindium Compounds. X-Ray structure of  $\text{InMes}_3$ ,  $[\text{InClMes}_3][\text{NMe}_4]$  and  $[\text{InClMes}_2]_2$ . J. T. Leman and A. R. Barron, *Organometallics*, 1989, **8**, 2214.
39. Synthesis and molecular structure of  $\text{AlMe}(\text{PhNNNPh})_2(3,5\text{-Me}_2\text{py})$ : the first observation of the trans-influence in an aluminum compound. J. T. Leman and A. R. Barron, *Organometallics*, 1989, **8**, 1828.
40. Aluminum Citrate: Isolation and structural characterization of a stable trinuclear complex. T. L. Feng, P. L. Gurian, M. D. Healy, and A. R. Barron, *Inorg. Chem.*, 1990, **29**, 408.
41. Sterically crowded aryloxide compounds of aluminium: Reactivity of coordinated benzaldehyde. M. B. Power and A. R. Barron, *Polyhedron*, 1990, **9**, 233-237.
42. Aluminum complexes of ketones and esters: The importance of aluminum-oxygen  $\pi$ -bonding. A. R. Barron, *Organic Crystal Chemistry*, Eds. J. B. Garbarczyk and D. W. Jones, International Union of Crystallography, Oxford Science Publications 1991, p. 164.

43. Sterically crowded aryloxy compounds of silicon. M. D. Healy and A. R. Barron, *J. Organomet. Chem.*, 1990, **381**, 165.
44. Complexes of aluminium (III) with picolinic and pipercolinic acids: an  $^{27}\text{Al}$  NMR investigation. T. L. Feng, J. M. Tsangaris, and A. R. Barron, *Montash. Chemie*, 1990, **121**, 113.
45. *tert*-Butyl arsolane and arsenane: Synthesis and mass spectrometry. J. W. Pasterczyk and A. R. Barron, *Phosphorus, Sulfur and Silicon*, 1990, **48**, 157.
46. Reaction of  $\text{In}(\text{t-Bu})_3$  with dioxygen: synthesis and molecular structure of  $[(\text{t-Bu})_2\text{In}(\text{OO-t-Bu})_2]$ . W. M. Cleaver and A. R. Barron, *J. Am. Chem. Soc.*, 1989, **111**, 8966.
47. Hybrid organometallic compounds of gallium:  $\text{Ga}(\text{t-Bu})_2\text{Me}$  and  $\text{Ga}(\text{t-Bu})\text{Me}_2$ . W. M. Cleaver and A. R. Barron, *Chemtronics*, 1989, **4**, 146.
48.  $\pi$ -Bonding in four coordinate aluminum aryloxy compounds. M. D. Healy, J. W. Ziller, and A. R. Barron, *J. Am. Chem. Soc.*, 1990, **112**, 2949.
49. Sterically crowded aryloxy compounds of aluminum: Complexes with diethyl ether and tetrahydrofuran. M. D. Healy, M. B. Power, and A. R. Barron, *J. Coord. Chem.*, 1990, **21**, 363.
50. Organoaluminum promoted conversion of aldehydes to methyl ketones. M. B. Power and A. R. Barron, *Tet. Lett.*, 1990, **31**, 323.
51. Electronic structure and bonding in four-coordinate organometallic complexes of aluminum. The valence photoelectron spectra of BHT-H,  $\text{Me}_3\text{Al}(\text{PMe}_3)$  and  $\text{Me}_2(\text{BHT})\text{Al}(\text{PMe}_3)$ . D. L. Lichtenberger, R. H. Hogan, M. D. Healy, and A. R. Barron, *J. Am. Chem. Soc.*, 1990, **112**, 3369.
52.  $\pi$ -Face selectivity of coordinated ketones to nucleophilic addition: The importance of aluminum-oxygen  $\pi$ -bonding. M. B. Power, S. G. Bott, J. L. Atwood, and A. R. Barron. *J. Am. Chem. Soc.*, 1990, **112**, 3446.
53. Chemical vapor deposition of niobium carbide using a novel organometallic precursor. P. D. Stupik, L. K. Cheatham, J. J. Graham, and A. R. Barron, *Mat. Res. Soc. Symp. Proc.*, 1990, **168**, 363.
54. Silicon based coatings on niobium metal. P. D. Stupik, T. R. Jervis, M. Nastasi, M. M. Donovan, and A. R. Barron, *Mat. Res. Soc. Symp. Proc.*, 1990, **170**, 155.
55. Synthesis of S-methylisopropylidenehydrazinecarbodithioate complexes of aluminum. A. R. Barron and G. Davies, *Heteroatom Chem.*, 1990, **1**, 291.
56. Cleavage of poly(siloxanes) by trimethylaluminum. A. W. Apblett and A. R. Barron, *Organometallics*, 1990, **9**, 2137.
57. Aldol condensation of ketones promoted by sterically crowded aryloxy compounds of aluminum. M. B. Power, A. W. Apblett, S. G. Bott, J. L. Atwood, and A. R. Barron, *Organometallics*, 1990, **9**, 2529.
58. Group IIA metal-organics as MOCVD precursors for high  $T_c$  superconductors. A. R. Barron, *Strem Chemiker*, 1990, **13**, 1.

59. Bonding and electronic structure of Nb/NbC and Nb/NbSi<sub>2</sub> interfaces. M. M. Donovan, J. M. McClaren, M. E. Eberhart, and A. R. Barron, *Mat. Res. Soc. Symp. Proc.*, 1990, **193**, 149.
60. Sterically crowded aryloxy compounds of aluminum: electronic and steric effects. M. D. Healy, J. W. Ziller, and A. R. Barron, *Organometallics*, 1991, **10**, 597.
61. The interaction of organic carbonyls with sterically crowded aryloxy compounds of aluminum. M. B. Power, S. G. Bott, D. L. Clark, J. L. Atwood and A. R. Barron, *Organometallics*, 1990, **9**, 3086.
62. Electronic structure and bonding in four-coordinate organometallic complexes of aluminum. The valence photoelectron spectra of Me<sub>3</sub>Al(py) and Me<sub>2</sub>(BHT)Al(py). D. L. Lichtenberger, R. H. Hogan, M. D. Healy, and A. R. Barron, *Organometallics*, 1991, **10**, 609.
63. Chemical vapour deposition of aluminium silicate thin films. A. W. Apblett, L. K. Cheatham, and A. R. Barron, *J. Mater. Chem.*, 1991, **1**, 143-144.
64. Reaction bonded niobium carbide on graphite via a novel solution impregnation process. A. N. MacInnes, A. R. Barron, R. S. Soman, and T. R. Gilbert, *J. Am. Ceram. Soc.*, 1990, **73**, 3696.
65. A theoretical investigation of aluminum-oxygen  $\pi$ -bonding in 3- and 4-coordinate aluminum alkoxides. A. R. Barron, K. D. Dobbs, and M. M. Francl, *J. Am. Chem. Soc.*, 1991, **113**, 39.
66. Acylation and esterification of the aryloxy ligand in AlMe(DBMP)<sub>2</sub>. M. B. Power, A. R. Barron, S. G. Bott, E. J. Bishop, K. D. Tierce and J. L. Atwood, *J. Chem. Soc., Dalton Trans.*, 1991, 241-247.
67. Reaction bonded refractory metal carbide coated fibers. A. N. MacInnes, J. J. Li, T. R. Gilbert, and A. R. Barron, *Mat. Res. Extended Abstracts*, 1990, 49.
68. Design and synthesis of polymeric precursors to aluminosilicates. A. W. Apblett and A. R. Barron, *Ceramic Transactions*, 1991, **19**, 35.
69. Aluminium complexes of N,N'-ethylenebis(salicylideneimine). X-ray structure of [Al(salen)]<sub>2</sub>( $\mu$ -O).MeCN and Al(OMes)(salen). P. L. Gurian, L. K. Cheatham, A. R. Barron, and J. W. Ziller, *J. Chem. Soc., Dalton Trans.*, 1991, 1449-1456.
70. Mesitylindium(III) Halide Compounds. X-ray crystal structure of [InIMes<sub>2</sub>]<sub>2</sub> and [InI<sub>2</sub>Mes] <sub>$\infty$</sub> . J. T. Leman, J. W. Ziller and A. R. Barron, *Organometallics*, 1991, **10**, 1766.
71. The molecular structure of ( $\eta^5$ -C<sub>5</sub>H<sub>4</sub>Me)<sub>2</sub>Nb( $\eta^3$ -C<sub>3</sub>H<sub>5</sub>). L. K. Cheatham, J. J. Graham, A. W. Apblett, and A. R. Barron, *Polyhedron*, 1991, **10**, 1075-1078.
72. AlMe<sub>2</sub>(BHT)NH<sub>3</sub>: An unusually stable organoaluminum-ammonia complex and its extended coordination sphere solvate. M. D. Healy, J. T. Leman, and A. R. Barron, *J. Am. Chem. Soc.*, 1991, **113**, 2776.

73. Increased volatility of barium metal organics by the use of nitrogen Lewis bases. J. M. Buriak, L. K. Cheatham, J. J. Graham, R. Gordon, and A. R. Barron, *Mat. Res. Soc. Symp. Proc.*, 1991, **204**, 545.
74. Hybrid organometallic compounds of gallium: UV excimer laser photochemistry of  $\text{Ga}(t\text{-C}_4\text{H}_9)_n(\text{CH}_3)_{3-n}$  ( $n = 0, 1, 2, 3$ ). W. M. Cleaver, A. R. Barron, Y. Zhang, and M. Stuke, *Appl. Surf. Sci.*, 1992, **54**, 8-17.
75. The interaction of tris-*tert*-butylgallium with white phosphorus: Isolation of an unusual gallium phosphorous cluster. M. B. Power and A. R. Barron, *Angew. Chem., Int. Ed. Engl.*, 1991, **30**, 1353-1354.
76. The interfacial mixing of silicon coatings on niobium metal: a comparative study. P. D. Stupik, M. M. Donovan, A. R. Barron, T. R. Jervis, and M. Nastasi, *Thin Solid Films.*, 1992, **207**, 138-143.
77. Isolation of the first gallium hydrosulphido complex and its facile conversion of a  $\text{Ga}_4\text{S}_4$  cubane: X-ray structure of  $[(t\text{Bu})_2\text{Ga}(\mu\text{-SH})]_2$  and  $[(t\text{Bu})\text{GaS}]_4$ . M. B. Power and A. R. Barron, *J. Chem. Soc., Chem. Commun.*, 1991, 1315-1317.
78. Formation of refractory metal carbide coatings formed on carbon fibers by a reaction bonding process. A. N. MacInnes, A. R. Barron, J. Li, and T. R. Gilbert, *J. Am. Ceram. Soc.*, 1991, **74**, 2928.
79. Tris-triphenylsiloxide compounds of aluminium. A. W. Apblett, A. C. Warren, and A. R. Barron, *Can. J. Chem.*, 1992, **70**, 771-778.
80. Oxidation and hydrolysis of tri-*tert*-butylgallium. M. B. Power, W. M. Cleaver, A. W. Apblett, A. R. Barron, and J. W. Ziller, *Polyhedron*, 1992, **11**, 477-486.
81. Synthesis and characterization of triethylsiloxy-substituted alumoxanes: their structural relationship to the minerals boehmite and diaspore. A. W. Apblett, A. C. Warren, and A. R. Barron, *Chem. Mater.*, 1992, **4**, 167.
82. The interaction of tri-*tert*-butylgallium with elemental sulfur, selenium, and tellurium. M. B. Power, J. W. Ziller, A. N. Tyler, and A. R. Barron. *Organometallics*, 1992, **11**, 1055-1063.
83. Chemical vapor deposition of cubic gallium sulfide thin films: a new meta-stable phase. A. N. MacInnes, M. B. Power, and A. R. Barron, *Chem. Mater.*, 1992, **4**, 11-14.
84. The preparation of  $(\text{Al}_2\text{O}_3)_x(\text{SiO}_2)_y$  thin films using  $[\text{Al}(\text{OSiEt}_3)_3]_2$  as a single source precursor. C. C. Landry, L. K. Cheatham, A. N. MacInnes, and A. R. Barron, *Adv. Mater. Optics Electron.*, 1992, **1**, 3-15.
85. Sterically crowded aryloxide compounds of aluminum: reduction of coordinated benzophenone. M. B. Power, J. R. Nash, M. D. Healy, and A. R. Barron, *Organometallics*, 1992, **11**, 1830-1840.
86. From Minerals to Materials: A facile synthesis route to preceramic polymers for aluminum oxide. A. W. Apblett, C. C. Landry, M. R. Mason, and A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1992, **249**, 75.

87. A novel route to silicon based ceramic coatings on carbon substrates. A. N. MacInnes and A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1992, **249**, 221
88. Synthesis and molecular structure of Al(BHT)<sub>3</sub>: The first three-coordinate homoleptic aluminum aryloxide. M. D. Healy and A. R. Barron, *Angew Chem., Int. Ed. Engl.*, 1992, **31**, 921-922.
89. Low valent and paramagnetic compound of aluminum. A. R. Barron, *Aluminum Chemistry*, Ed. G. Robinson, VCH, New York, 1993.
90. Indium complexes of 1,3-diphenyltriazene (Hdpt): X-ray crystal structures of [Et<sub>3</sub>NH][InCl<sub>2</sub>(dpt)<sub>2</sub>], [InCl<sub>2</sub>(dpt)(pyMe<sub>2</sub>-3,5)<sub>2</sub>], [InCl<sub>2</sub>(dpt)(PEt<sub>3</sub>)<sub>2</sub>] and [InCl<sub>2</sub>(dpt)(bipy)]. J. T. Leman, H. A. Roman, and A. R. Barron, *J. Chem. Soc., Dalton Trans.* 1992, 2183-2191.
91. The use of amines to enhance the volatility of barium β-diketonates: chemical vapor deposition of barium oxide thin films. J. M. Buriak, L. K. Cheatham, R. G. Gordon, J. J. Graham, and A. R. Barron, *Euro J. Solid State Inorg Chem.*, 1992, **29**, 43.
92. Topological reorganization of gallium sulfide clusters. M. B. Power, J. W. Ziller, and A. R. Barron, *Organometallics*, 1992, **11**, 2783.
93. Sterically crowded aryloxide compounds of aluminum: reactions with main group halides. M. D. Healy, J. W. Ziller, and A. R. Barron, *Organometallics*, 1992, **11**, 3042.
94. U.V. excimer laser photochemistry of hybrid organometallic compounds of gallium. Y. Zhang, W. M. Cleaver, M. Stuke, and A. R. Barron, *Appl. Phys. A.*, 1992, **55**, 261.
95. Metal-organic chemical vapour deposition of polycrystalline tetragonal indium sulfide (InS) thin films. A. N. MacInnes, W. M. Cleaver, A. R. Barron, M. B. Power, and A. F. Hepp, *Adv. Mater. Optics. Electron.*, 1992, **1**, 229.
96. Tris-triphenylsiloxy compounds of aluminum: part 2. molecular structure of Al(OSiPh<sub>3</sub>)<sub>3</sub>(OEt<sub>2</sub>). A. W. Apblett and A. R. Barron, *J. Cryst. Spec. Res.*, 1993, **23**, 529.
97. A spectroscopic evaluation of the efficacy of two mass deacidification processes for paper. A. N. MacInnes and A. R. Barron, *J. Mater. Chem.*, 1992, **2**, 1049.
98. Dimethylaluminum Alkoxide: A physico-chemical investigation. J. H. Rogers, A. W. Apblett, W. M. Cleaver, A. N. Tyler, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1992, 3179-3187.
99. Oxide, chalcogenide, and related clusters of aluminum, gallium and indium. A. R. Barron, *Comm. Inorg. Chem.*, 1993, **14**, 123.
100. Sterically crowded aryloxide compounds of aluminium: hydrides and homoleptic aryloxides. M. D. Healy, P. W. Gravelle, M. R. Mason, S. G. Bott, and A. R. Barron, *J. Chem. Soc. Dalton Trans.*, 1993, 441-454.
101. Photoluminescence intensity enhancement of GaAs by metal organic chemical vapor deposited GaS from a single source precursor. A. N. MacInnes, M. B. Power, A. R. Barron, P. P. Jenkins, and A. F. Hepp, *Appl. Phys. Lett.*, 1993, **62**, 711.

102. Indium *tert*-butylthiolates as single source precursors for indium (II) sulfide thin films: Is molecular design enough? A. N. MacInnes, M. B. Power, A. F. Hepp, and A. R. Barron. *J. Organomet. Chem.*, 1993, **449**, 95.
103. Reactions of group 13 alkyls with dioxygen and elemental chalcogens: from carelessness to chemistry. A. R. Barron, *Chem. Soc. Rev.*, 1993, 93.
104. Sterically crowded aryloxy compounds of aluminum. M. D. Healy, M. B. Power, and A. R. Barron, *Coord. Chem. Rev.*, 1994, **130**, 63.
105. The realization of molecular control over solid state structure: chemical vapor deposition of gallium and indium sulfide films. M. B. Power, A. N. MacInnes, A. F. Hepp, and A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1993, **282**, 659.
106. Photoluminescence intensity enhancement of GaAs by metal organic chemical vapor deposited GaS from a single source precursor. A. N. MacInnes, M. B. Power, A. R. Barron, P. P. Jenkins, and A. F. Hepp, *Mat. Res. Soc., Symp. Proc.*, 1993, **282**, 111.
107. Synthesis and molecular structure of  $(t\text{Bu})_2\text{Ga}(\text{OCPh}_3)$ : an example of a possible intramolecular  $\pi$ -interaction. W. M. Cleaver and A. R. Barron, *Organometallics*, 1993, **12**, 1001.
108. Molecular structure of *tris*-(tri-methylaluminum)(diglyme). J. T. Leman, C. C. Landry, and A. R. Barron, *Main Group Metal Chem.*, 1993, **16**, 193.
109. Siloxy-substituted alumoxanes: their synthesis from polydialkylsiloxanes and trimethylaluminum, and application as aluminosilicate precursors. C. C. Landry, J. A. Davis, A. W. Apblett, and A. R. Barron, *J. Mater. Chem.*, 1993, **3**, 597-602.
110. Hydrolysis of tri-*tert*-butylaluminum: the first structural characterization of alkylalumoxanes,  $[(\text{R}_2\text{Al})_2\text{O}]_n$  and  $(\text{RAIO})_n$ . M. R. Mason, J. M. Smith, S. G. Bott, and A. R. Barron, *J. Am. Chem. Soc.*, 1993, **115**, 4971.
111. Group 2 compounds as CVD-precursors for electronic materials. A. R. Barron and W. S. Rees, Jr., *Adv. Mater. Optic. Electron.*, 1993, **2**, 271-288.
112. Group IIA  $\beta$ -diketonate compounds as CVD-precursors for high  $T_c$ -superconductors. W. S. Rees, Jr. and A. R. Barron, *Materials Science Forum*, 1993, **137-138**, 473.
113. Synthesis of polycrystalline chalcopyrite semiconductors by microwave irradiation. C. C. Landry and A. R. Barron, *Science*, 1993, **260**, 1653.
114. 1,3-diaryltriazenido compounds of aluminum. J. T. Leman, J. Braddock-Wilking, A. J. Coolong, and A. R. Barron, *Inorg. Chem.*, 1993, **32**, 4324.
115. Reactivity of organogallium peroxides: oxidation of phosphine, phosphites and triphenylarsine. X-ray crystal structures of  $(t\text{Bu})_2\text{Ga}(\text{O}^t\text{Bu})(\text{O}=\text{AsPh}_3)$ ,  $(t\text{Bu})_2\text{Ga}(\mu\text{-O}^t\text{Bu})(\mu\text{-OO}^t\text{Bu})\text{Ga}(t\text{Bu})_2$  and  $(t\text{Bu})_2\text{Ga}[(\text{O})\text{P}(\text{Ph})_2\text{CH}(\text{O})\text{P}(\text{Ph})_2]$ . M. B. Power, J. W. Ziller, and A. R. Barron, *Organometallics*, 1993, **12**, 4908.
116. Five and six coordinate organoindium compounds. J. T. Leman, H. A. Roman, and A. R. Barron, *Organometallics*, 1993, **12**, 2988.



117. Gallium: organometallic chemistry. A. R. Barron and M. B. Power, *Encyclopedia of Inorganic Chemistry*, Ed. R. B. King, Wiley, Chichester, 1994.
118. Indium: organometallic chemistry. J. T. Leman and A. R. Barron, *Encyclopedia of Inorganic Chemistry*, Ed. R. B. King, Wiley, Chichester, 1994.
119. Chemical vapor deposition of gallium sulfide: phase control by molecular design. A. N. MacInnes, M. B. Power, and A. R. Barron, *Chem. Mater.*, 1993, **5**, 1344.
120. The effect of siloxane spin-on-glass and reaction bonded silicon oxycarbide coatings with a self-propagating interfacial reaction treatment (ASPIRE) in the synthesis of carbon/graphite fiber reinforced aluminum metal matrix composites. W. M. Balaba, D. A. Weirauch, Jr., A. J. Perrotta, G. H. Armstrong, P. Anyalebechi, S. Kauffman, A. N. MacInnes, A. M. Winner, and A. R. Barron, *J. Mater. Res.*, 1993, **8**, 3192.
121. Electronic passivation of n- and p- type GaAs using chemical vapor deposited GaS. M. Tabib-Azar, S. Kang, A. N. MacInnes, M. B. Power, P. Jenkins, A. F. Hepp, and A. R. Barron, *Appl. Phys. Lett.*, 1993, **63**, 625.
122. Gallium: inorganic chemistry. A. R. Barron and A. N. MacInnes, *Encyclopedia of Inorganic Chemistry*, Ed. R. B. King, Wiley, Chichester, 1994.
123. Reaction bonded refractory metal carbide/carbon composites. A. N. MacInnes, A. R. Barron, J. J. Li, and T. R. Gilbert, *Polyhedron*, 1994, **13**, 1315-1327.
124. Gallium arsenide transistors: realization through a molecular designed insulator. P. P. Jenkins, A. N. MacInnes, M. Tabib-Azar, and A. R. Barron, *Science*, 1994, **263**, 1751-1753.
125. Alcoholysis of tri-*tert*-butylgallium: synthesis and structural characterization of  $[(t\text{Bu})_2\text{Ga}(\mu\text{-OR})_2]$ . W. M. Cleaver, A. R. Barron, A. R. McGuffey, and S. G. Bott, *Polyhedron*, 1994, **13**, 2831-2846.
126. *Tert*-butylaluminum hydroxides and oxides: structural relationship between alkylaluminum hydroxide and alumina gels. C. J. Harlan, M. R. Mason, and A. R. Barron, *Organometallics*, 1994, **13**, 2957.
127. MOCVD of group III chalcogenide compound semiconductors. A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1994, **335**, 317.
128. The synthesis of polycrystalline semi-conductors by microwave irradiation. C. C. Landry and A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1994, **327**, 89.
129. Room temperature synthesis of CuInQ (Q = S or Se) in non-aqueous solution, using an organoindium reagent. A. F. Hepp, M. T. Andras, C. C. Landry, and A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1994, **327**, 83.
130. Copper containing ceramic precursor synthesis: solid state transformations and materials technology. A. F. Hepp, W. E. Eckles, S. A. Duraj, M. T. Andras, P. E. Fanwick, R. M. Richman, M. L. Sabat, M. B. Power, E. M. Gordon, and A. R. Barron. *Mat. Res. Soc., Symp. Proc.*, 1994, **327**, 23.

131. Reaction of boehmite with carboxylic acids: a new synthetic route to alumoxanes. C. C. Landry, N. Pappè, M. R. Mason, A. W. Apblett, and A. R. Barron, "Inorganic and Organometallic Polymers", ACS Symposium Series, Volume II, 1998, **572**, 149.
132. From minerals to materials: synthesis of alumoxanes from the reaction of boehmite with carboxylic acids. C. C. Landry, N. Pappè, M. R. Mason, A. W. Apblett, A. N. Tyler, A. N. MacInnes, and A. R. Barron, *J. Mater. Chem.*, 1995, **5**, 331-341.
133. Vapor phase laser photochemistry and determination by electron diffraction of the molecular structure of [(<sup>t</sup>Bu)GaS]<sub>4</sub>: evidence for the retention of the Ga<sub>4</sub>S<sub>4</sub> cubane core during the MOCVD growth of cubic-GaS. W. M. Cleaver, M. Späth, D. Hnyk, G. McMurdo, M. B. Power, M. Stuke, D. W. H. Rankin, and A. R. Barron, *Organometallics*, 1995, **14**, 690.
134. Radical anion complexes of tris-(1,3-diphenyltriazenido) aluminum. J. Braddock-Wilking, J. T. Leman, C. T. Farrar, S. C. Larsen, D. J. Singel, and A. R. Barron, *J. Am. Chem. Soc.*, 1995, **117**, 1736.
135. Electronic structure of the tris-(1,3-diphenyltriazenido) aluminum radical anion: a theoretical and experimental ESEEM and ERR study. C. T. Farrar, J. T. Leman, S. C. Larsen, J. Braddock-Wilking, D. J. Singel, and A. R. Barron, *J. Am. Chem. Soc.*, 1995, **117**, 1746.
136. MOCVD of alumina-silica oxidation-resistant coatings on carbon fibers. C.C. Landry and A. R. Barron, *Carbon*, 1995, **33**, 381-387.
137. A new method for the determination of trialkylaluminum content in alumoxanes. A. R. Barron, *Organometallics*, 1995, **14**, 3581-3583.
138. A new cubane MOCVD precursor for gallium sulfide: Structural determinations of [(Et<sub>2</sub>MeC)GaS]<sub>4</sub> by X-ray diffraction and [(<sup>t</sup>Bu)GaSe]<sub>4</sub> by electron diffraction. M. B. Power, A. R. Barron, D. Hnyk, H. E. Robertson, and D. W. H. Rankin, *Adv. Mater. Optics Electron.*, 1995, **5**, 177-185.
139. The synthesis of chalcopyrite semiconductors and their solid solution by microwave irradiation. C. C. Landry, J. Lockwood, and A. R. Barron, *Chem. Mater.*, 1995, **7**, 699.
140. Three-coordinate aluminum is not a prerequisite for catalytic activity in the zirconocene-alumoxane polymerization of ethylene. C. J. Harlan, S. G. Bott, and A. R. Barron, *J. Am. Chem. Soc.*, 1995, **117**, 6465-6474.
141. Galloxane and alumoxane hydroxides: Ga<sub>12</sub>(<sup>t</sup>Bu)<sub>12</sub>(μ<sub>3</sub>-O)<sub>8</sub>(μ-O)<sub>2</sub>(μ-OH)<sub>4</sub> and Al<sub>6</sub>(<sup>t</sup>Bu)<sub>6</sub>(μ<sub>3</sub>-O)<sub>4</sub>(μ-OH)<sub>4</sub>. C. C. Landry, C. J. Harlan, S. G. Bott, and A. R. Barron, *Angew. Chem., Int. Ed. Engl.*, 1995, **34**, 1201-1202.
142. The Al-O bond interaction in four-coordinate aluminum aryloxy compounds. A. R. Barron, *Polyhedron*, 1995, **14**, 3197-3207.
143. A new class of gallium arsenide transistor: realization through a molecular designed insulator. A. R. Barron, *Materials, Synthesis and Characterization*, Ed. D.L. Peny, Plenum, 1997, **6**, 137.

144. Alumoxanes as co-catalysts in palladium catalyzed co-polymerization of carbon monoxide and ethylene: genesis of a structure activity relationship. Y. Koide, S. G. Bott, and A. R. Barron, *Organometallics*, 1996, **15**, 2213-2226.
145. Gallium and indium compounds of sulfur donor ligands: pyridine-2-thiolates and diphenylthiophosphates. C. C. Landry, A. Hynes, A. R. Barron, I. Haiduc, and C. Silvestru, *Polyhedron*, 1996, **15**, 391-402.
146. Surface pasivation for III-V semiconductor processing: stable gallium sulfide films by MOCVD. A. N. MacInnes, P. P. Jenkins, M. B. Power, S. Kang, A. R. Barron, A. F. Hepp, and M. Tabib-Azar, NASA Technical Memorandum, 106761, 1994.
147.  $[Al_5(tBu)_5(\mu_3-O)_2(\mu_3-OH)_3(\mu-OH)_2(\mu-O_2CPh)_2]$ : A model for the interaction of carboxylic acids with boehmite. Y. Koide and A. R. Barron, *Organometallics*, 1995, **14**, 4026-4029.
148. A new understanding of the co-catalytic activity of alumoxanes: the opening of a black box. A. R. Barron, *Macromol. Symp.*, 1995, **97**, 15.
149. MOCVD of group III-chalcogenides. A. R. Barron, *Adv. Mater. Optics Electron.*, 1995, **5**, 245-258.
150. CVD of insulating materials. A. R. Barron, *CVD of Nonmetals*, Ed. W. Rees, Jr., VCH, 1996.
151. Chemical synthesis of poly- $\beta$ -hydroxybutyrate by the polymerization of [R,S]- $\beta$ -butyrolactone with aluminoxane catalysts. R. W. Lenz, J. Yang, B. Wu, C. J. Harlan, and A. R. Barron, *Can. J. Microbiology*, 1995, **41**, 274.
152. Reaction of *tert*-butylaluminum with ketones. Y. Koide and A. R. Barron, *Main Group Metal. Chem.*, 1995, **18**, 405.
153. Polyketone polymers prepared using a palladium/alumoxane catalyst system. Y. Koide and A. R. Barron, *Macromolecules*, 1996, **29**, 1110-1118.
154. Photo-assisted chemical vapor deposition of gallium sulfide. P. Pernot and A. R. Barron, *Chem. Vapor Deposition*, 1995, **1**, 75.
155. CVD of SiO<sub>2</sub> and related materials: An overview. A. R. Barron, *Adv. Mater. Optics Electron.*, 1996, **6**, 101-114.
156. Chemical vapor deposition of gallium and indium selenide nano-particles. S. L. Stoll, E. G. Gillan, and A. R. Barron, *Chem. Vapor Deposition*, 1996, **2**, 182.
157. Reaction of group 13-sulfido cubanes with dimethylzirconocene. C. J. Harlan and A. R. Barron, *J. Cluster Chem.*, 1996, **7**, 455.
158. A FETISH for gallium arsenide. A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1996, **410**, 23.
159. Group 13-16 precursors: what factors control their volatility? E. G. Gillan, S. G. Bott, and A. R. Barron, *Mat. Res. Soc., Symp. Proc.*, 1996, **415**, 87.

160. Molecular structure of  $[(t\text{Bu})_2\text{Al}(\mu\text{-OPh})]_2$ . C. L. Aitken and A. R. Barron, *J. Chem. Cryst.*, 1996, **26**, 293.
161. Crystal structure of  $\text{Al}(t\text{Bu})_3(\text{NH}_2\text{CH}_2\text{CH}_2\text{Ph})$ : a molecular "slinky", C. L. Aitken and A. R. Barron, *J. Chem. Cryst.*, 1996, **26**, 297.
162. Carboxylate substituted alumoxanes as processable precursors to transition metal-aluminum and lanthanide-aluminum mixed metal oxides: atomic scale mixing via a new transmetalation reaction. A. Kareiva, C. J. Harlan, D. B. MacQueen, R. Cook, and A. R. Barron, *Chem. Mater.*, 1996, **8**, 2331-2340.
163. A chemical approach for structural, composite, and coating materials for automotive applications, A. R. Barron, *World Car Conference'96*, University of California, Riverside, p. 151.
164. Solid state structure of  $[(t\text{Bu})_2\text{In}(\mu\text{-Cl})]_\infty$ : an unusual saw-tooth polymeric structure. S. L. Stoll, S. G. Bott, and A. R. Barron, *Polyhedron*, 1997, **16**, 1763-1766.
165. Reaction of amines with  $[(t\text{Bu})\text{Al}(\mu_3\text{-O})]_6$ : determination of the steric limitation of a latent Lewis acid. Y. Koide, S. G. Bott, and A. R. Barron, *Organometallics*, 1996, **15**, 5514-5518.
166. Yttrium substituted alumoxanes: a *chemie duce* route to YAG. C. J. Harlan, A. Kareiva, D. B. MacQueen, R. Cook, and A. R. Barron, *Adv. Mater.*, 1997, **9**, 68.
167. Molecular structure of  $[(t\text{Bu})_2\text{Al}(\mu\text{-NH}^t\text{Bu})]_2$ . S. G. Bott, Y. Koide, and A. R. Barron, *J. Chem. Cryst.*, 1996, **26**, 563.
168. Synthesis of Gallium Chalcogenide Cubanes and their use as CVD precursors for  $\text{Ga}_2\text{E}_3$  ( $\text{E} = \text{S}, \text{Se}$ ). S. Schulz, E. G. Gillan, L. M. Rogers, R. Rogers, and A. R. Barron, *Organometallics*, 1996, **15**, 4880-4883.
169. Tert-*amyl* compounds of aluminum and gallium: halides, hydroxides and chalcogenides. C. J. Harlan, E. G. Gillan, S. G. Bott, and A. R. Barron, *Organometallics*, 1996, **15**, 5479-5488.
170. Structural characterization of dialkylaluminum carboxylates: models for carboxylate alumoxanes, C. E. Bethley, C. L. Aitken, Y. Koide, C. J. Harlan, S. G. Bott, and A. R. Barron, *Organometallics*, 1997, **16**, 329-341.
171. Methyl-hydride metathesis between  $(\eta^5\text{-C}_5\text{H}_5)_2\text{ZrMe}_2$  and  $[(\text{H})\text{Al}(\mu_3\text{-N}^t\text{Bu})]_4$ : molecular structures of  $[\text{Al}(\text{H})_x(\text{Me})_{1-x}(\mu_3\text{-NBu})_4]$  ( $x = 0, 0.78, 1$ ) and  $[(\eta^5\text{-C}_5\text{H}_5)_2\text{Zr}(\text{Me})(\mu\text{-H})]_2$ . C. J. Harlan, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1997, 637-642.
172. Stereoregular polymerization of (R,S)-propylene oxide by an alumoxane-propylene oxide complex. B. Wu, C. J. Harlan, R. W. Lenz, and A. R. Barron, *Macromolecules*, 1997, **30**, 316-318.
173. Molecular structure of an unusual gallium phosphate compound containing three-coordinate gallium. A. Keys, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Chem. Commun.*, 1996, 2339-2340.

174. Dinitrosyl iron complexes: formation, stability, and physiological implications. M. E. Mullins, J. S. Stamler, D. J. Singel, and A. R. Barron, *Portland Press Proc.*, 1996, **415**, 87.
175. Selenide and selenolate compounds of indium: a comparative study of In-Se bond forming reactions. S. L. Stoll, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1997, 1315-1322.
176. Observation of an unusual amine oxidation reaction during the oxidation and hydrolysis of  $[(t\text{Bu})_2\text{Ga}(o\text{-C}_6\text{H}_4\text{NMe}_2)]_2$ : molecular structure of  $(t\text{Bu})_2\text{Ga}(o\text{-C}_6\text{H}_4\text{NMe}_2)(\mu\text{-OH})\text{Ga}(t\text{Bu})[o\text{-C}_6\text{H}_4\text{N}(\text{O})\text{Me}_2]$  and  $(t\text{Bu})_2\text{Ga}(o\text{-C}_6\text{H}_4\text{NMe}_2)(\text{O}=\text{PPh}_3)$ . C. N. McMahon, S. G. Bott, and A. R. Barron, *Polyhedron*, 1997, **16**, 3407-3413.
177. Molecular Structure of  $(t\text{Bu})_3\text{AlP}(\text{tPr})_3$ . C. N. McMahon and A. R. Barron, *J. Chem. Cryst.*, 1997, **27**, 171.
178. Volatility studies on gallium chalcogenide cubanes: thermal analysis and determination of sublimation enthalpies. E. G. Gillan, S. G. Bott, and A. R. Barron, *Chem. Mater.*, 1997, **9**, 796-806.
179. Molecular Structure of  $[(t\text{Bu})_2\text{Al}(\mu\text{-Cl})]_2$ . C. N. McMahon, J. A. Francis, and A. R. Barron, *J. Chem. Cryst.*, 1997, **27**, 167.
180. Alumoxane precursors to designer catalysts and catalyst supports: catalytic oxidation of dichloromethane. R. L. Cook, C. Wong, C. J. Harlan, A. Kareiva, and A. R. Barron, *Mater. Res. Soc., Symp. Proc.*, 1997, **454**, 169.
181. Environmentally benign processing aluminum-based ceramic materials: water soluble alumoxanes, R. L. Callender, C. J. Harlan, D. L. Callahan, M. Wiesner, R. L. Cook, and A. R. Barron, *Ceramic Transactions*, 1998, **87**, 13.
182. Chemical vapor deposition of hexagonal gallium selenide and telluride thin films from cubane precursors. E. G. Gillan and A. R. Barron, *Chem. Mater.*, 1997, **9**, 3037-3048.
183. Alcohol and secondary amine complexes of tri-*tert*-butyl aluminum: enhanced stability through intra-molecular hydrogen bonding. C. N. McMahon, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1997, 3129-3138.
184. Aqueous synthesis of water soluble alumoxanes: environmentally benign precursors to alumina and aluminum-based ceramics, R. L. Callender, C. J. Harlan, N. M. Shapiro, C. D. Jones, D. L. Callahan, M. R. Wiesner, R. Cook, and A. R. Barron, *Chem. Mater.*, 1997, **9**, 2418-2433.
185. Methylmethacrylate complexes of sterically crowded aluminum aryloxides: activation of methylacrylic esters. M. Akakura, H. Yamamoto, S. G. Bott, and A. R. Barron, *Polyhedron*, 1997, **16**, 4389-4392.
186. 1,3-Diphenylamidine and methylaminopyridine compounds of gallium. Y. Koide, J. A. Francis, S. G. Bott, and A. R. Barron, *Polyhedron*, 1998, **17**, 983-991.
187. Steric effects in aluminum compounds containing monoanionic potentially bidentate ligands: towards a quantitative measure of steric bulk. J. A. Francis, C. N. McMahon, S. G. Bott, and A. R. Barron, *Organometallics*, 1999, **18**, 4399-4416.

188. Metal-organic chemical vapour deposition of indium selenide (InSe) thin films. S. L. Stoll and A. R. Barron, *Chem. Mater.*, 1998, **10**, 650-657.
189. The molecular structure of  $R,S-[Al_6(tBu)_6(\mu_3-O)(\mu_3-O_2CCH_2C(H)MeO)_2]$ : evidence for the latent Lewis acid catalyzed polymerization of  $[R,S]-\beta$ -butyrolactone, C. J. Harlan, S. G. Bott, B. Wu, R. W. Lenz, and A. R. Barron, *J. Chem. Soc., Chem. Commun.*, 1997, 2183-2184.
190. Molecular structure of  $AlH_3[N(CH_2CH_2)_3CH]_2$ , C. J. Harlan, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 1998, **28**, 649-651.
191. Molecular structures of  $[(tBu)_2Ga(\mu-O_2CPh)]_2$ ,  $[(tBu)_2Ga(\mu-O_2CC_6H_4-3-CN)]_2$ ,  $[(tBu)_2Ga(\mu-SC_6H_5)]_2$ : the efficacy of oxygen and sulfur donor ligands for binding to GaAs and GaS surfaces. A. Keys, S. G. Bott, and A. R. Barron, *Polyhedron*, 1998, **17**, 3121-3130.
192. Reaction of  $[(tBu)Ga(\mu_3-Te)]_4$  with elemental sulfur and selenium: a facile chalcogenide exchange reaction. B. D. Fahlman and A. R. Barron, *Organometallics*, 1998, **17**, 5310-5314.
193. Carboxylate-alumoxanes: environmentally benign precursors for developing aluminum based ceramic membranes and filter. C. D. Jones, D. A. Bailey, M. R. Wiesner, and A. R. Barron, *9th CIMTEC - World Ceramics Congress, Ceramics Getting into the 2000 - Part D*, 1999, 413.
194. Inorganic-organic hybrid and composite materials using carboxylate-alumoxanes, C. T. Vogelson, Y. Koide, S. G. Bott, and A. R. Barron, *9th CIMTEC - World Ceramics Congress, Ceramics Getting into the 2000 - Part C*, 1999, 499.
195. Aqueous synthesis of water soluble alumoxanes: environmentally benign precursors to alumina and aluminum based ceramic materials. R. L. Callender, M. R. Wiesner, and A. R. Barron, *9th CIMTEC - World Ceramics Congress, Ceramics Getting into the 2000 - Part C*, 1999, 135.
196. Reaction of  $Al(tBu)_3$  with  $[R_2Al\{\mu-O(CH_2)_nNMe_2\}]_2$ : dependence on the extent of intramolecular Al...N coordination, C. N. McMahon, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1998, 3301-3304.
197. Aluminum compounds containing bidentate ligands: chelate ring size and rigid conformation effects. J. A. Francis, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1998, 3305-3310.
198. Alkylalumoxanes: synthesis, structure and reactivity, A. R. Barron in *Metallocene-Based Polyolefins. Vol. 1, Preparation, properties and technology*. Ed. J. Scheirs and W. Kaminsky, Wiley, Chichester, 1999, Chapter 2, p. 33.
199. Reaction of trimethylaluminum with  $[(tBu)Al(\mu_3-O)]_6$ : hybrid *tert*-butylmethylalumoxanes as co-catalysts for olefin polymerization. M. Watanabe, C. N. McMahon, C. J. Harlan, and A. R. Barron, *Organometallics*, 2001, **20**, 460-467.
200. Chemical control over ceramic porosity using alumoxane precursors. R. L. Callender and A. R. Barron, *Adv. Mater.*, 2000, **12**, 734-738.

201. Aluminum compounds containing bidentate ligands: ligand base strength and remote geometric control over degree of association. C. N. McMahon, J. A. Francis, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1999, 67-72.
202. MOCVD growth of gallium sulfide using di-*tert*-butyl gallium dithiocarbamate precursors: Formation of a metastable phase of GaS. A. Keys, S. G. Bott, and A. R. Barron, *Chem. Mater.*, 1999, **11**, 3578-3587.
203. Are intramolecularly stabilized compounds of aluminum suitable structural models of the S<sub>N</sub>2 transition state? Molecular structure of [(<sup>t</sup>Bu)<sub>2</sub>Al(μ-OC<sub>6</sub>H<sub>4</sub>-2-OMe)]<sub>2</sub>. J. A. Francis, S. G. Bott and A. R. Barron, *Polyhedron*, 1999, **18**, 2211-2218.
204. Synthesis and structural characterization of cyclopentadienyliron- and cyclopentadienylmolybdenum-gallium compounds, A. Borovik, S. G. Bott, and A. R. Barron, *Organometallics*, 1999, **18**, 2668-2676.
205. Hydralumination of H<sub>2</sub>C=CH<sub>2</sub>SMe: synthesis and molecular structure of (<sup>t</sup>Bu)<sub>2</sub>Al(CH<sub>2</sub>CH<sub>2</sub>CH<sub>2</sub>SMe). J. A. Francis, S. G. Bott, and A. R. Barron, *Main Group Chem.*, 1999, **3**, 53.
206. Molecular structures of (<sup>t</sup>Bu)Ga(S<sub>2</sub>CN<sup>n</sup>Pr<sub>2</sub>)<sub>2</sub> and (<sup>i</sup>PrO)Ga(S<sub>2</sub>CNEt<sub>2</sub>)<sub>2</sub>: an example of an unusual ligand pseudorotation. A. Keys, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 1998, **28**, 629-634.
207. Synthesis of a base-stabilized alumoxane: preferential hydrolysis of an aluminum-amido over an aluminum-alkyl, C. N. McMahon and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 1998, 3703-3704.
208. Cleavage of cyclo-dimethylsiloxanes by dialkylaluminum hydrides and the nature of the siloxyaluminum products. C. N. McMahon, S. G. Bott, L. B. Alemany, H. W. Roesky, and A. R. Barron, *Organometallics*, 1999, **18**, 5395-5408.
209. Inorganic-organic hybrid and composite resin materials using carboxylate-alumoxanes as functionalized cross-linking agents. C. T. Vogelson, Y. Koide, R. Cook, S. G. Bott, L. B. Alemany, and A. R. Barron, *Chem. Mater.*, 2000, **12**, 795-804.
210. Reaction of Al(<sup>t</sup>Bu)<sub>3</sub> with ethylene glycol: intermediates to aluminum alkoxide (alucone) preceramic polymers, C. N. McMahon, L. Alemany, R. L. Callender, S. G. Bott, and A. R. Barron, *Chem. Mater.*, 1999, **11**, 3181-3188.
211. Molecular structure of [CpFe(CO)<sub>2</sub>]<sub>3</sub>In. A. Borovik, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 1998, **28**, 835-838.
212. Molecular structure of PhOCH<sub>2</sub>CH(OH)CH<sub>2</sub>OPh. Y. Koide, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 1999, **29**, 247-250.
213. Steric effects in aluminum compounds containing monoanionic potentially bidentate ligands: effect of the steric bulk at the α-carbon. C. N. McMahon, S. G. Bott, and A. R. Barron, *Main Group Chem.*, 1999, **3**, 43.
214. Molecular structure of M(tfac)<sub>3</sub> (M = Al, Co) and Cu(H<sub>2</sub>O)(fod)<sub>2</sub>: example of unusual supramolecular architecture. C. T. Vogelson, C. L. Edwards, A. N. Kobylivker, S. B. Chacko, C. E. Moran, K. Dalton, S. M. Stewart, B. C. Werner, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 1998, **28**, 817.

215. Very fast MAS and MQMAS NMR studies of the spectroscopically challenging minerals kyanite and andalusite on 400, 500, and 800 MHz spectrometers. L. B. Alemany, S. Steuernagel, J.-P. Amoureux, R. L. Callender, and A. R. Barron, *Solid State Nuclear Magnetic Resonance*, 1999, **14**, 1.
216. Characterization of alumoxane-derived ceramic membranes. D. A. Bailey, C. D. Jones, A. R. Barron, and M. R. Wiesner, *J. Membrane Sci.*, 2000, **176**, 1-9.
217. Formation and evaluation of highly uniform aluminate interface coatings for sapphire fiber reinforced ceramic matrix composites (FRCMCs) using carboxylate-alumoxane nanoparticles. R. L. Callender and A. R. Barron, *J. Mater. Sci.*, 2001, **36**, 4977-4987.
218. A novel route to alumina and aluminate coatings on SiC, carbon and Kevlar<sup>®</sup> fiber-reinforced ceramic matrix composites using carboxylate-alumoxane nanoparticles. R. L. Callender and A. R. Barron, *J. Mater. Res.*, 2000, **15**, 2228-2237.
219. Facile synthesis of aluminum containing mixed metal oxides using doped carboxylate-alumoxane nanoparticles. R. L. Callender and A. R. Barron, *J. Am. Ceram. Soc.*, 2000, **83**, 1777.
220. *Tert*-butyl compounds of gallium. A. Keys, T. Barbarich, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2000, 577-588.
221. A new route to hexaluminate ceramics via a novel transmetalation reaction. R. L. Callender and A. R. Barron, *Ceramic Engineering & Science Proceedings: 23rd Annual Conference on Composites, Advanced Ceramics, Materials and Structures: A*, American Ceramic Society, 1999, 27.
222. Formation of interface coatings on SiC and sapphire fibers using metal doped carboxylate-alumoxanes. R. L. Callender and A. R. Barron, *Ceramic Engineering & Science Proceedings: 23rd Annual Conference on Composites, Advanced Ceramics, Materials and Structures: A*, American Ceramic Society, 1999, 127.
223. Sterically crowded aryloxy compounds of aluminum: intramolecular coordination of bidentate ligands. J. A. Francis, S. G. Bott and A. R. Barron, *J. Organomet. Chem.*, 2000, **597**, 29.
224. An alternative approach to Al<sub>2</sub>O<sub>2</sub> ring systems by unexpected cleavage of stable Al-F and Si-O bonds. C. Rennekamp, H. Wessel, H. W. Roesky, P. Müller, H. -G. Schmidt, M. Noltemeyer, I. Usón, and A. R. Barron, *Inorg. Chem.*, 1999, **38**, 5235-5240.
225. Dimethylalane, [MeAlH]<sub>n</sub>, in the vapor phase and in hydrocarbon solution: gas-phase electron diffraction, spectroscopic, colligative, and ab initio studies. A. J. Downs, T. M. Greene, S. E. Collin, L. A. Whitehurst, P. T. Brain, C. A. Morrison, C. R. Pulhama, B. A. Smart, D. W. H. Rankin, A. Keys, and A. R. Barron, *Organometallics*, 2000, **19**, 527-538.
226. CVD of conformal alumina thin films via hydrolysis of AlH<sub>3</sub>(NMe<sub>2</sub>Et). B. D. Fahlman and A. R. Barron, *Adv. Mater. Optics Electron.*, 2000, **10**, 135-144.
227. Single pulse MAS, selective Hahn echo MAS, and 3QMAS NMR studies of the mineral zoisite at 400, 500, 600, and 800 MHz. Exploring the limits of Al NMR detectability. L.



- B. Alemany, R. L. Callender, A. R. Barron, S. Steuernagel, D. Iuga, and A. P. M. Kentgens, *J. Phys. Chem., B.*, 2000, **104**, 11612-11616.
228. Reaction of trimethylaluminum with main group hydroxides: A non-hydrolysis route to methylalumoxane. S. J. Obrey and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2001, 2456-2458.
229. Reaction of 1,3-diols with Al(<sup>t</sup>Bu)<sub>3</sub> and Ga(<sup>t</sup>Bu)<sub>3</sub>: aluminum- and gallium-based bifunctional tetradentate ligands. C. N. McMahon, S. J. Obrey, A. Keys, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2000, 2151-2161.
230. Molecular structure of (<sup>t</sup>Bu)<sub>3</sub>Al[O=C(OPh)<sub>2</sub>]. C. S. Branch, L. G. van Poppel, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 1999, **29**, 993-996.
231. Acid and base assisted topological reorganization of gallium sulfido clusters. T. Barbarich, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2000, 1679-1680.
232. Chemical vapor deposition of conformal alumina thin films, B. D. Fahlman and A. R. Barron, *Mater. Res. Soc., Symp. Proc.*, 2000, **606**, 75.
233. Molecular structures of M(<sup>t</sup>Bu)<sub>3</sub> (M = Al, Ga, In) using gas-phase electron diffraction and *ab initio* calculations: experimental and computational evidence for charge-transfer processes leading to photodissociation. A. Keys, P. T. Brain, C. A. Morrison, R. L. Callender, B. A. Smart, D. A. Wann, H. E. Robinson, D. W. H. Rankin and A. R. Barron, *Dalton Trans*, 2008, 404-410.
234. Fiber reinforced epoxy resin composite materials using carboxylate-alumoxanes as cross-linking agents, C. T. Vogelson, Y. Koide, and A. R. Barron, *Mater. Res. Soc., Symp. Proc.*, 2000, **581**, 369.
235. Carboxylate-alumoxanes: precursors for heterogeneous catalysis. C. D. Jones, D. S. Brown, L. L. Marshall, and A. R. Barron, *Mater. Res. Soc., Symp. Proc.*, 2000, **581**, 659.
236. Carboxylate-alumoxanes: materials processing and manufacturing of alumina based materials, C. D. Jones, R. L. Callender, C. T. Vogelson, S. J. Obrey, K. A. DeFriend Varela, M. R. Wiesner, and A. R. Barron, *2000 NSF Design and Manufacturing Research Conference*, Vancouver, 2000.
237. Molecular structure of [FeCl<sub>2</sub>(imidazole)<sub>4</sub>]Cl·THF·H<sub>2</sub>O. S. J. Obrey, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 2000, **30**, 61-63.
238. Molecular structure of 2,6-di-bromomethyl-1-phenyl benzene. S. J. Obrey, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 2002, **32**, 205-207
239. A chemically functionalized carboxylate-alumoxane nanoparticle support for olefin polymerization catalysts. S. J. Obrey and A. R. Barron, *Macromolecules*, 2002, **35**, 1499-1503.
240. Structural characterization of borate esters in which sodium acts as a support to the structural framework. M. Bishop, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2000, 3100-3105.

241. An accuracy assessment of the refinement of partial metal disorder in solid solutions of  $\text{Al}(\text{acac})_3$  and  $\text{Cr}(\text{acac})_3$ . B. D. Fahlman, S. G. Bott, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2001, 2148-2147.
242. Molecular structure of  $\text{Al}_{0.916}\text{Cr}_{0.084}(\text{acac})_3$ . B. D. Fahlman, S. G. Bott and Andrew R. Barron, *J. Chem. Cryst.*, 2000, **30**, 65-67.
243. Crystal packing of alcohol amines formed by the reaction of primary amines with 1,2-epoxy-3-phenoxypropane, C. T. Vogelson, S. G. Bott, and A. R. Barron, *J. Mater. Chem.*, 2000, **11**, 284-288.
244. Chemical vapor deposition of chromium-doped alumina "ruby" thin films, B. D. Fahlman and A. R. Barron, *Chem. Vap. Deposition*, 2001, **7**, 62.
245. Particle size control and dependence on solution pH of carboxylate-alumoxane nanoparticles, C. T. Vogelson and A. R. Barron, *J. Non-Cryst. Solids*, 2001, **290**, 216-223.
246. Fiber-reinforced ceramic matrix composites using alumina nanoparticles. R. L. Callender and A. R. Barron, *Ceramic Transactions*, 2000, 115, 435.
247. Substituent effects on the volatility of metal  $\beta$ -diketonates, B. D. Fahlman and A. R. Barron, *Adv. Mater. Optics Electron.*, 2000, **10**, 223-232.
248. Hydrogen/deuterium exchange catalyzed by an unusually stable mercury-toluene complex. A. S. Borovik, S. G. Bott, and A. R. Barron, *Angew. Chem. Int. Ed.*, 2000, **39**, 4117-4118.
249. Aluminum and gallium compounds of salicylic and anthranilic acid: examples of weak intra-molecular hydrogen bonding. C. S. Branch, J. Lewinski, S. G. Bott, J. Lipkowski, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2001, 1253-1258.
250. Aluminum alkoxides as synthons for methylalumoxane (MAO): product catalyzed thermal decomposition of  $[\text{Me}_2\text{Al}(\mu\text{-OCPh}_3)]_2$ . S. J. Obrey, S. G. Bott, and A. R. Barron, *Organometallics*, 2001, **20**, 5162-5170.
251. Aluminum and gallium chloride stabilized arene-mercury complexes: synthesis and structural characterization, A. Borovik, S. G. Bott, and A. R. Barron, *J. Am. Chem. Soc.*, 2001, **123**, 11219-11228.
252. Aluminum and gallium chloride stabilized arene-mercury complexes: catalysts for H/D exchange of aromatic compounds, A. Borovik and A. R. Barron, *J. Am. Chem. Soc.*, 2002, **124**, 3743-3748.
253. Alumina ultrafiltration membranes derived from carboxylate-alumoxane nanoparticles, C. D. Jones, M. Fidalgo, M. R. Wiesner, and A. R. Barron, *J. Membrane Sci.*, 2001, **193**, 175-184.
254. Silica coating of vapor grown carbon fibers. H. R. Jafry, E. A. Whitsitt, and A. R. Barron, *J. Mater. Sci.*, 2007, **42**, 7381-7388.
255. Surface repair of porous and damaged alumina bodies using carboxylate-alumoxane nanoparticles, K. A. DeFriend and A. R. Barron, *J. Mater. Sci.*, 2002, **37**, 2909.

256. An investigation of the reaction of  $[\text{RGa}(\mu_3\text{-Te})_4]$  with  $\text{O}_2$ ,  $\text{SO}_2$  and  $\text{SeO}_2$  using a combination of experiment and density functional theory, B. D. Fahlman, A. Daniels, G. Scuseria, and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2001, 3239-3241.
257. Aluminum, gallium and copper complexes of 2,2-dimethyl-1,3-propanediamine, S. J. Obrey, S. G. Bott and A. R. Barron, *J. Organomet. Chem.*, 2002, **643-644**, 53.
258. Molecular structure of  $[(\text{tBu})_2\text{Al}(3,5\text{-Me}_2\text{py})]_2(\mu\text{-O})$ : preferential hydrolysis of an aluminum-aryl over an aluminum-alkyl, L. G. van Poppel, S. G. Bott, and A. R. Barron, *J. Chem. Cryst.*, 2001, **31**, 417-420.
259. A Lewis base promoted alkyl/alkoxide ligand redistribution: reaction of  $[\text{Me}_2\text{Al}(\mu\text{-OCPh}_3)]_2$  with THF. S. J. Obrey, S. G. Bott and A. R. Barron, *Organometallics*, 2001, **20**, 5119-5124.
260. Transition metal complexes of a bifunctional tetradentate gallium alkoxide ligand, S. J. Obrey, S. G. Bott and A. R. Barron, *Inorg. Chem.*, 2002, **41**, 571-576.
261. 1,4-Dioxobenzene compounds of gallium: reversible binding of pyridines to  $[\{(\text{tBu})_2\text{Ga}\}_2(\mu\text{-OC}_6\text{H}_4\text{O})]_n$  in the solid state. L. H. van Poppel, S. G. Bott, and A. R. Barron, *J. Am. Chem. Soc.*, 2003, **125**, 11006-11017.
262. Strengthening of porous alumina bodies using carboxylate-alumoxane nanoparticles, K. A. DeFriend and A. R. Barron, *J. Mater. Sci.*, 2003, **38**, 927-935.
263. Chalcogenide exchange reaction of  $[\text{RGa}(\mu_3\text{-Te})_4]$  with elemental sulfur and selenium: a density functional theory study, B. D. Fahlman, A. D. Daniels, G. E. Scuseria, and A. R. Barron, *J. Cluster Sci.*, 2002, **13**, 587-599.
264. A new mechanism for cement hydration inhibition: solid-state chemistry of calcium nitrilotris(methylene)triphosphonate, M. Bishop, S. G. Bott, and A. R. Barron, *Chem. Mater.*, 2003, **15**, 3074-3088.
265. 1,4-Dioxobenzene compounds of aluminum. L. H. van Poppel, S. G. Bott and A. R. Barron, *J. Chem. Soc., Dalton Trans.*, 2002, 3327-3332.
266. Molecular structures of  $\text{Ga}(\text{tBu})_2(\text{OPh})(\text{py})\cdot\text{PhOH}$  and  $[(\text{tBu})_2\text{Ga}(\text{H}_2\text{O})(\mu\text{-OH})\text{Ga}(\text{tBu})_2]_2(\mu\text{-OC}_6\text{H}_4\text{O})\cdot 4(2\text{-Mepy})$ : intra- and inter-molecular hydrogen bonding to gallium aryloxides. L. H. van Poppel, S. G. Bott and A. R. Barron, *Polyhedron*, 2002, **21**, 1877-1882.
267. Molecular coupling layers formed by reactions of epoxy resins with self-assembled carboxylate monolayers grown on the native oxide of aluminum. C. T. Vogelson, A. Keys, C. L. Edwards, and A. R. Barron, *J. Mater. Chem.*, 2003, **13**, 291-296.
268. Determination of the mode and efficacy of the cross-linking of guar by borate using MAS  $^{11}\text{B}$  NMR of borate cross-linked guar in combination with solution  $^{11}\text{B}$  NMR of model systems. M. Bishop, N. Shahid, J. Yang, and A. R. Barron, *Dalton Trans.*, 2004, 2621-2634.
269. Arene-mercury complexes stabilized by gallium chloride: relative rates of H/D and arene exchange. C. S. Branch and A. R. Barron, *J. Am. Chem. Soc.*, 2002, **124**, 14156-14161.

270. Reaction of  $[\text{Ga}_2(\text{}^t\text{Bu})_4(\text{neol-H})_2]$  with early transition metal chlorides and amides. L. H. van Poppel, S. G. Bott and A. R. Barron, *Polyhedron*, 2003, **22**, 9-17.
271. Alumina and aluminate ultrafiltration membranes derived from alumina nanoparticles. K. A. DeFriend, M. R. Wiesner, and A. R. Barron, *J. Membrane Sci.*, 2003, **224**, 11-28.
272. A simple approach to hierarchical ceramic ultrafiltration membranes. K. A. DeFriend and A. R. Barron, *J. Membrane Sci.*, 2003, **212**, 29-38.
273. Group 13 trihalide complexes of 9-fluorenone: A comparison of methods for assigning relative Lewis acidity. C. S. Branch, S. G. Bott, and A. R. Barron, *J. Organomet. Chem.*, 2003, **666**, 23-34.
274. A flexible route to high strength  $\alpha$ -alumina and aluminate spheres. K. A. DeFriend and A. R. Barron, *J. Mater. Sci.*, 2003, **38**, 2673-2678.
275. Synthesis and characterization of carboxylate-FeOOH nanoparticles (ferroxanes) and ferroxane-derived ceramics, J. Rose, M. M. Cortalezzi-Fidalgo, S. Moustier, C. Magonetto, C. D. Jones, A. R. Barron, M. R. Wiesner, and J.-Y. Bottero, *Chem. Mater.*, 2002, **14**, 621-628.
276. Silica coated fullerenols: seeded growth of silica spheres under acidic conditions. E. A. Whitsitt and A. R. Barron, *Chem. Commun.*, 2003, 1042-1043.
277. Silica coated single walled nanotubes. E. A. Whitsitt and A. R. Barron, *Nano Lett.*, 2003, **3**, 775-778.
278. Characteristics of ultrafiltration ceramic membranes derived from alumoxane nanoparticles. M. M. Cortalezzi, J. Rose, A. R. Barron, and M. R. Wiesner, *J. Membrane Sci.*, 2002, **205**, 33-43.
279. Ceramic membranes derived from ferroxane nanoparticles: a new route to the fabrication of iron oxide ultrafiltration membranes. M. M. Cortalezzi-Fidalgo, J. Rose, G. F. Wells, J.-Y. Bottero, A. R. Barron, and M. R. Wiesner, *J. Membrane Sci.*, 2003, **227**, 207-217.
280. Application of alumoxane nanoparticles as ceramic precursors for 3D alumina features. R. Loscutova and A. R. Barron, *J. Mater. Sci.*, 2006, **41**, 3391-3401.
281. Aluminum alkyl and aryloxy complexes of pyrazine and bipyridines: synthesis and structure. D. Ogrin, L. H. van Poppel, S. G. Bott and A. R. Barron, *Dalton Trans.*, 2004, 3689-3694.
282. Molecular structure of  $[(\text{}^t\text{Bu})_2\text{Al}(\mu\text{-OC}_6\text{H}_4\text{-2-Me})_2]$ . T. W. Vertrees, G. Hoben, A. N. Kobylivker, C. L. Edwards, S. G. Bott and A. R. Barron, *J. Chem. Cryst.*, 2005, **35**, 313-316.
283. Solvent free synthesis of carboxylate-alumoxane nanoparticles using mechanical shear. N. Shahid and A. R. Barron, *J. Mater. Chem.*, 2004, **14**, 1235-1237.
284. Reinforcement of poly(propylene fumarate)-based networks with surface modified alumoxane nanoparticles for bone tissue engineering. R. A. Horch, N. Shahid, A. S. Mistry, M. D. Timmer, A. G. Mikos, and A. R. Barron, *Biomacromolecules*, 2004, **5**, 1990-1998.

285. Chemically functionalized alumina nanoparticle effect on carbon fiber/epoxy composites. N. Shahid, R. Villate, and A. R. Barron, *Composite Sci. Tech.*, 2005, **65**, 2250-2258.
286. Cement hydration inhibition with tartaric acid, sucrose and lignosulfonate: an analytical and spectroscopic study. M. Bishop and A. R. Barron, *Ind. Eng. Chem. Res.*, 2006, **45**, 7042-7049.
287. Silica-coated single walled nanotubes: nanostructure formation. R. Colorado, Jr. and A. R. Barron, *Chem. Mater.*, 2004, **16**, 2691-2693.
288. A new route to fullerene substituted phenylalanine derivatives. J. Yang and A. R. Barron, *Chem. Commun.*, 2004, 2884-2885.
289. Molecular structure of  $[\text{Me}_2\text{Al}(\mu\text{-OPh})_2]$ : a crystallographic and *ab initio* study. D. Ogrin, S. G. Bott and A. R. Barron, *J. Chem. Cryst.*, 2008, **38**, 397-401.
290. Growth of self-assembled monolayers on sulfide treated gallium arsenide using predetermined linkage moieties. A. Keys and A. R. Barron, *Main Group Chem.* 2005, **4**, 263-271.
291. A study of the formation, purification, and application as a SWNT growth catalyst of the nanocluster  $[\text{H}_x\text{PMo}_{12}\text{O}_{40}\text{CH}_4\text{Mo}_{72}\text{Fe}_{30}(\text{O}_2\text{CMe})_{15}\text{O}_{254}(\text{H}_2\text{O})_{98}]$ . R. E. Anderson, R. Colorado, Jr., C. Crouse, D. Ogrin, B. Maruyama, M. J. Pender, C. L. Edwards, E. Whitsitt, V. C. Moore, D. Koveal, C. Lupu, M. Stewart, J. M. Tour, R. E. Smalley, and A. R. Barron, *Dalton Trans.*, 2006, 3097-3107.
292. In-situ fabrication of free-standing SWNT-silicate composite hex-nuts. R. Colorado, Jr., M. Diosomito, and A. R. Barron, *Adv. Mater.*, 2005, **17**, 1634-1637.
293. Effect of surfactant on particle morphology for liquid phase deposition of submicron silica, E. A. Whitsitt and A. R. Barron, *J. Colloid Interface Sci.*, 2005, **287**, 318-325.
294. Phosphonate mediated surface reaction and reorganization: implications for the mechanism controlling cement hydration inhibition. C. Lupu, R. S. Arvidson, A. Lüttge and A. R. Barron, *Chem. Commun.*, 2005, 2354-2356.
295. Effects of solvent on the relative stability of mono and di-aluminum aryloxide complexes of bipyridines: anomalous behavior of  $[(^t\text{Bu})_2\text{Al}(\text{OPh})_2](\mu\text{-4,4-bipy})$ . D. Ogrin, L. H. van Poppel, and A. R. Barron, *Dalton Trans.*, 2005, 1722-1726.
296. Synthesis and characterization of manganese doped ferroxane nanoparticles, M. M. Cortalezzi-Fidalgo, J. Rose, G. F. Wells, J.-Y. Bottero, A. R. Barron, and M. R. Wiesner, *Mat. Res. Soc., Symp. Proc.*, 2003, **800**, 361.
297. Use of alumina based nanoparticles for strengthening biodegradable scaffold polymers for bone replacement. N. Shahid, R. A. Horch, A. S. Mistry, M. D. Timmer, A. G. Mikos, and A. R. Barron, *Fourth World Congress Nanocomposites 2004*, Proceedings, 2004.
298. Synthesis of silica-ammonium chloride macrofibers generated by anionic surfactant templated nanotubes. R. Colorado, Jr., S. Y. Zeigler, and A. R. Barron, *J. Mater. Chem.*, 2008, **18**, 1911-1918.

299. Highly oxygenated fullerenes by catalytic epoxidation of C<sub>60</sub> with methyltrioxorhenium-hydrogen peroxide, D. Ogrin and A. R. Barron, *J. Mol. Cat. A: Chem.*, 2006, **244**, 267-270.
300. Reaction of hydroxyfullerene with metal salts: a route to remediation and immobilization. R. Anderson and A. R. Barron, *J. Am. Chem. Soc.*, 2005, **127**, 10458-10459.
301. Control over cement setting through the use of chemically modified fly ash, C. Lupu, K. L. Jackson, S. Bard, I. Rusakova, and A. R. Barron, *Adv. Eng. Mater.*, 2006, **8**, 576-580.
302. Inhibitive properties, adsorption and surface study of butyn-1-ol and pentyn-1-ol alcohols as corrosion inhibitors for iron in HCl. K. Babic-Samardzija, C. Lupu, N. Hackerman, and A. R. Barron, *J. Mater. Chem.*, 2005, **15**, 1908-1916.
303. LPD silica coating of individual single walled carbon nanotubes. E. A. Whitsitt, V. C. Moore, R. E. Smalley, and A. R. Barron, *J. Mater. Chem.*, 2005, **15**, 4678-4687.
304. AFM and STM characterization of thiol and thiophene functionalized SWNTs: pitfalls in the use of gold nanoparticles to determine the extent of side-wall functionalization in SWNTs. L. Zhang, J. Zhang, N. Schmandt, J. Cratty, V. N. Khabashesku, K. F. Kelly, and A. R. Barron, *Chem. Commun.*, 2005, 5429-5430.
305. Diels alder addition to fluorinated single walled carbon nanotubes. L. Zhang, J. Yang, C. L. Edwards, L. B. Alemany, V. N. Khabashesku, and A. R. Barron, *Chem. Commun.*, 2005, 3265-3267.
306. Synthesis and structure of [Fe<sub>3</sub>O(O<sub>2</sub>CCH<sub>2</sub>OMe)<sub>6</sub>(H<sub>2</sub>O)<sub>3</sub>][FeCl<sub>4</sub>]. D. Ogrin and A. R. Barron, *J. Chem. Cryst.*, 2009, **39**, 68-72.
307. Inhibitive properties and surface morphology of a group of heterocyclic diazoles as inhibitors for acidic iron corrosion. K. Babic-Samardzija, C. Lupu, N. Hackerman, A. R. Barron, and A. Luttge, *Langmuir*, 2005, **21**, 12187-12196.
308. Single-walled carbon nanotube growth using [Fe<sub>3</sub>(μ<sub>3</sub>-O)(μ-O<sub>2</sub>CR)<sub>6</sub>(L)<sub>3</sub>]<sup>n+</sup> complexes as catalyst precursors. D. Ogrin, R. Colorado, Jr., B. Maruyama, M. J. Pender, R. E. Smalley, and A. R. Barron, *Dalton Trans.*, 2006, 229-233.
309. Epoxidation and deepoxidation of single-walled carbon nanotubes: quantification of epoxide defects. D. Ogrin, J. Chattopadhyay, A. K. Sadana, E. Billups, and A. R. Barron, *J. Am. Chem. Soc.*, 2006, **128**, 11322-11323.
310. Coating single-walled carbon nanotubes with cadmium chalcogenides. R. Loscutova and A. R. Barron, *J. Mater. Chem.*, 2005, **15**, 4346-4353.
311. Water, acid and calcium carbonate pretreatment of fly ash: the effect on setting of cement-fly ash mixtures. C. Lupu, K. L. Jackson, S. Bard, and A. R. Barron, *Ind. Eng. Chem. Res.*, 2007, **46**, 8018-8025.
312. Attachment of functionalized single-wall carbon nanotubes (SWNTs) to silicon surfaces. L. Zeng, N. Pattyn, and A. R. Barron, *J. Nanosci. Nanotechnol.*, 2008, **8**, 1545-1550.
313. Reaction of olefins with aluminum chloride stabilized arene-mercury complexes. A. S. Borovik and A. R. Barron, *Main Group Chem.* 2005, **4**, 135-144.

314. Coordination chemistry of the nanocluster  $[H_xPMo_{12}O_{40}CH_4Mo_7Fe_3(O_2CMe)_{15}O_{254}(H_2O)_{98}]$ . D. Ogrin and A. R. Barron, *J. Cluster Sci.*, 2007, **18**, 113-120.
315. Fluorescence quenching of single walled carbon nanotubes in SDBS surfactant suspension by metal ions: quenching efficiency as a function of metal and nanotube identity. J. J. Brege, C. Gallaway, and A. R. Barron, *J. Phys. Chem., C*, 2007, **111**, 17812-17820.
316. Tailoring aqueous solubility of functionalized single-wall carbon nanotubes over a wide pH range through substituent chain length. L. Zeng, L. Zhang, and A. R. Barron, *Nano Lett.*, 2005, **5**, 2001-2004.
317. Demonstration of covalent sidewall functionalization of single wall carbon nanotubes by NMR spectroscopy: side chain length dependence on the observation of the sidewall  $sp^3$  carbons, L. Zeng, L. B. Alemany, C. L. Edwards, and A. R. Barron, *Nano Res.*, 2008, **1**, 72-88.
318. The use of fullerene substituted phenylalanine derivatives as a passport through cell membranes. J. Yang, K. Wang, J. Driver, J. Yang, and A. R. Barron, *Org. Biomol. Chem.*, 2007, **5**, 260-266.
319. Solubilization of single-wall carbon nanotubes in organic solvents without sidewall functionalization. R. E. Anderson and A. R. Barron, *J. Nanosci. Nanotechnol.*, 2007, **7**, 3436-3440.
320. Nanoparticle fabrication. J. P. Jolivet and A. R. Barron, *Environmental Nanotechnology: Applications and Impacts of Nanotechnology*, Ed. M. R. Wiesner and J.-Y. Bottero, McGraw Hill, New York, 2007.
321. Membrane processes. M. R. Wiesner, A. R. Barron and J. Rose, *Environmental Nanotechnology: Applications and Impacts of Nanotechnology*, Ed. M. R. Wiesner and J.-Y. Bottero, McGraw Hill, New York, 2007.
322. Effect of carbon nanomaterials on calcium carbonate crystallization. R. E. Anderson and A. R. Barron, *Main Group Chem.*, 2005, **4**, 279-289.
323. Solid state NMR analysis of fluorinated single-walled carbon nanotubes: assessing the extent of fluorination, L. B. Alemany, L. Zeng, L. Zhang, C. L. Edwards, and A. R. Barron, *Chem. Mater.*, 2007, **19**, 735-744.
324. Fullerene-based amino acid interactions with human epidermal keratinocytes, J. G. Rouse, J. Yang, A. R. Barron, and N. A. Monteiro-Riviere, *Toxicology in Vitro*, 2006, **20**, 1313-1320.
325. Fullerene-derivatized amino acids: synthesis, characterization, antioxidant properties, and solid phase peptide synthesis, J. Yang, L. B. Alemany, J. Driver, J. D. Hartgerink, and A. R. Barron, *Chem. Eur. J.*, 2007, **3**, 2530-2545.
326. Amplification of single walled carbon nanotubes from designed seeds: separation of nucleation and growth. D. Ogrin, R. E. Anderson, R. Colorado, Jr., B. Maruyama, M. J. Pender, V. C. Moore, S. T. Pheasant, L. McJilton, H. K. Schmidt, R. H. Hauge, W. E. Billups, J. M. Tour, R. E. Smalley, and A. R. Barron, *J. Phys. Chem. C*, 2007, **111**, 17804-17806.

327. Membranes céramiques formées à partir de nanoparticules: synthèses et applications. J. Rose, J-Y. Bottero, C. Levard, A. Masion, M. Cortalezzi, A. R. Barron, and M. R. Wiesner, *Actualite de la Chimie*, 2009, **331**, 36-40.
328. Functionalization of SWNTs to facilitate the coordination of metal ions, compounds and clusters. C. E. Hamilton, D. Ogrin, L. McJilton, V. C. Moore, R. Anderson, R. E. Smalley, and A. R. Barron, *Dalton Trans.*, 2008, 2937-2944.
329. Nebulization of single-walled carbon nanotubes for respiratory toxicity studies. L. McJilton, C. Horton, C. Kittrell, D. Ogrin, H. Peng, F. Liang, W. E. Billups, H. K. Schmidt, R. H. Hauge, R. E. Smalley, A. R. Barron, *Carbon*, 2009, **47**, 2528-2530.
330. Biological interactions of functionalized single-wall carbon nanotubes in human epidermal keratinocytes, L. Zhang, L. Zeng, A. R. Barron, and N. A. Monteiro-Riviere, *Int. J. Toxicology*, 2007, **26**, 103-113.
331. Single wall carbon nanotubes amplification: en route to a type-specific growth mechanism. R. E. Smalley, Y. Li, V. C. Moore, K. Price, R. Colorado, Jr., H. Schmidt, R. H. Hauge, A. R. Barron, and J. M. Tour, *J. Am. Chem. Soc.*, 2006, **128**, 15824-15829.
332. Porosity, crystal phase, and morphology of nanoparticle derived alumina as a function of the nanoparticle's carboxylate substituent. C. D. Jones and A. R. Barron, *Mater. Chem. Phys.*, 2007, **104**, 460-471.
333. Self-assembled monolayers and multilayers of the nanocluster  $[H_xPMo_{12}O_{40}CH_4Mo_{72}Fe_{30}(O_2CMe)_{15}O_{254}(H_2O)_{98}]$  on gold. R. Colorado, Jr., C. Crouse, C. N. Zeigler, and A. R. Barron, *Langmuir*, 2008, **24**, 8912-8917.
334. Fluorescence quenching of single walled carbon nanotubes with transition metal ions. J. Brege, C. Gallaway, and A. R. Barron, *J. Phys. Chem., C*, 2009, **113**, 4270-4276.
335. Effects of mechanical flexion on the penetration of fullerene amino acid-derivatized peptide nanoparticles through skin. J. G. Rouse, J. P. Ryman-Rasmussen, J. Yang, A. R. Barron, and N. A. Monteiro-Riviere, *Nano Lett.*, 2007, **7**, 155-160.
336. Synthesis and characterization of covalently attached polyethyleneimine functionalized single-wall carbon nanotubes. E. P. Dillon, C. A. Crouse, and A. R. Barron, *ACS Nano*, 2008, **2**, 156-164.
337. Solid state  $^{29}Si$  NMR analysis of cements: comparing different methods of relaxation analysis for determining spin-lattice relaxation times to enable determination of the  $C_3S/C_2S$  ratio. C. L. Edwards, L. B. Alemany, and A. R. Barron, *Ind. Eng. Chem. Res.*, 2007, **46**, 5122-5130.
338. Self-assembly of sidewall functionalized single-walled carbon nanotubes investigated by scanning tunneling microscopy. J. Zhang, L. Zhang, V. N. Khabashesku, A. R. Barron, K. F. Kelly, *J. Phys. Chem.*, 2008, **112**, 12321-12325.
339. Reframing the concept of nanotechnology. A. R. Barron, *Ceram. Soc. Bulletin*, 2007, **86**, 20-24.



340. Ultra-small copper nanoparticles from a hydrophobically immobilized surfactant template, J. J. Brege, C. E. Hamilton, C. A. Crouse, and A. R. Barron, *Nano Lett.*, 2009, **9**, 2239–2242.
341. Growth, new growth and amplification of carbon nanotubes as a function of catalyst composition. C. A. Crouse, B. Maruyama, R. Colorado, Jr., T. Back, and A. R. Barron, *J. Am. Chem. Soc.*, 2008, **130**, 7946-7954.
342. Molecular structure of  $[\text{Cu}_2(\text{MeCN})_2(\mu\text{-tpy})_2][\text{BPh}_4]_2$ : a helical di-cuprous terpyridine complex. J. J. Allen and A. R. Barron, *J. Chem. Cryst.*, 2008, **38**, 879-882.
343. Correlation of cement performance property measurements with  $\text{C}_3\text{S}/\text{C}_2\text{S}$  ratio determined by solid state  $^{29}\text{Si}$  NMR measurements. C. L. Edwards, R. Morgan, L. Norman, and A. R. Barron, *Ind. Eng. Chem. Res.*, 2008, **47**, 5456-5463.
344. Graphite epoxide. J. Chattopadhyay, A. Mukherjee, C. E. Hamilton, J. H. Kang, S. Chakraborty, W. Guo, K. F. Kelly, A. R. Barron and W. E. Billups, *J. Am. Chem. Soc.*, 2008, **130**, 5414-5415.
345. Global energy: challenges to technology and opportunities for licensing. G. G. Orphanides, S. F. Baldwin, P. Dobson, N. Formanek, A.R. Barron, S. Gembicki, S. Hobbs, M. R. Khan, and C. Heide, *Les Nouvelles*, 2008, 7-14.
346. Reagent control over the size, uniformity, and composition of Co-Fe-O nanoparticles. C. Crouse and A. R. Barron, *J. Mater. Chem.*, 2008, **18**, 4146-4153.
347. Molecular structure of quinolin-1-(2-quinolyl)-2-one mesitylimine: an unusual amination product of 2,4,6-trimethylaniline and 2-chloroquinoline. J. J. Allen, C. E. Hamilton, and A. R. Barron, *J. Chem. Cryst.*, 2008, **38**, 873-877.
348. Olefin coordination in copper(I) complexes of bis(2-pyridyl)amine. J. J. Allen and A. R. Barron, *Dalton Trans.*, 2009, 878-890.
349. Carbon fibers: opportunities and challenges. M. R. Khan and A. R. Barron, *Adv. Mater. Processes*, 2008, **166**, 47-49.
350. The chemistry behind explosives and the application of nano technology. A. R. Barron, *The Detonator*, 2009, **36**, 60-64.
351. Carbon nanomaterials: opportunities and challenges. A. R. Barron and M. R. Khan, *Adv. Mater. Processes*, 2008, **166**, 41-43.
352. Molecular structures of  $\text{RN}(\text{H})\text{Py}$  ( $\text{R} = 2,4,6\text{-Me}_3\text{C}_6\text{H}_2$ ,  $2,6\text{-Et}_2\text{C}_6\text{H}_3$ ,  $\text{Ph}_3\text{C}$ ) and the copper complex  $[\text{Cu}\{(2,4,6\text{-Me}_3\text{C}_6\text{H}_2)\text{N}(\text{H})\text{Py}\}_2]\text{BF}_4$ . J. J. Allen, C. E. Hamilton, and A. R. Barron. *J. Chem. Cryst.*, 2009, **39**, 573-580.
353. *In silico* drug screening approach to designing magic bullets: A successful example with anti-HIV fullerene derivatized amino acids. S. Durdagi, C. T. Supuran, T. A. Strom, N. Doostdar, M. K. Kumar, A. R. Barron, T. Mavromoustakos, and M. G. Papadopoulos, *J. Chem. Inf. Model.*, 2009, **49**, 1139–1143.
354. Effect of functionalized nanomaterials on the rheology of borate cross-linked guar gum, H. R. Jafry, M. Pasquali, and A. R. Barron, *Ind. Eng. Chem. Res.*, 2011, **50**, 3259–3264.

355. Optical limiting study of double wall carbon nanotube-fullerene hybrids, K.-S. Liao, J. Wang, D. Früchtl, N. J. Alley, E. Andreoli, E. P. Dillon, A. R. Barron, H. Kim, H. J. Byrne, W. J. Blau, and S. A. Curran, *Chem. Phys. Letters*, 2010, **489**, 207-211.
356. Using fluorescence quenching of single walled carbon nanotubes with metal ions as a probe of surfactant···SWNT interactions, J. J. Brege and A. R. Barron, *Main Group Chem.*, 2011, **10**, 89-104.
357. High-yield organic dispersions of graphene, C. E. Hamilton, J. R. Lomeda, Z. Sun, J. M. Tour, and A. R. Barron, *Nano Lett.*, 2009, **9**, 3460–3462.
358. Synthesis and structural characterization of (2,6-<sup>i</sup>Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>)N(quin)<sub>2</sub> and [Cu{(2,6-<sup>i</sup>Pr<sub>2</sub>C<sub>6</sub>H<sub>3</sub>)N(quin)<sub>2</sub>}<sub>2</sub>]<sup>+</sup>BF<sub>4</sub><sup>-</sup>, J. J. Allen, C. E. Hamilton, and A. R. Barron, *J. Chem. Cryst.*, 2010, **2**, 130-136.
359. Synthesis and characterization of aryl-substituted *bis*(2-pyridyl)amines and their copper olefin complexes: investigation of remote steric control over olefin binding, J. J. Allen, C. E. Hamilton, and A. R. Barron, *Dalton Trans.*, 2010, 11451-11468.
360. Cross coupling of substituted anilines with quinoline: synthesis and structural characterization of HN(py)quin, PhN(py)quin, MesN(py)quin, and [PhN(py)(H-quin)]<sup>+</sup>BF<sub>4</sub><sup>-</sup>. J. J. Allen, C. E. Hamilton, and A. R. Barron, *J. Chem. Cryst.*, 2010, **2**, 137-144.
361. Radical addition of perfluorinated alkyl iodides to multi-layered graphene and single-walled carbon nanotubes. C. E. Hamilton, J. R. Lomeda, Z. Sun, J. M. Tour, and A. R. Barron, *Nano Res.*, 2010, **3**, 138-145.
362. Synthesis and structural characterization of [Ag(H-dpa)(η<sup>2</sup>-styrene)]<sup>+</sup>BF<sub>4</sub><sup>-</sup>: comparing silver and copper for olefin binding. J. J. Allen and A. R. Barron, *J. Chem. Cryst.*, 2009, **39**, 935-939.
363. Controlled attachment of metal nanoparticles to single walled carbon nanotubes as a key step in their seeded growth and lengthening. V. C. Moore, L. A. McJilton, S. T. Pheasant, C. Kittrell, R. E. Anderson, D. Ogrin, F. Liang, R. H. Hauge, H. K. Schmidt, J. M. Tour, W. E. Billups, A. R. Barron, and R. E. Smalley, *Carbon*, 2010, **48**, 557-570.
364. Dendrimer-assisted self-assembled monolayer of iron nanoparticle for vertical array carbon nanotube growth. N. T. Alvarez, A. W. Orbaek, A. R. Barron, J. M. Tour, and R. H. Hauge, *ACS Appl. Mater. Interfaces*. 2010, **2**, 15–18.
365. Endocytic mechanisms and toxicity of a functionalized fullerene in human cells. L. W. Zhang, J. Yang, A. R. Barron, and N. A. Monteiro-Riviere, *Tox. Lett.*, 2009, **191**, 149-157.
366. Phosphene functionalized single walled carbon nanotubes. C. E. Hamilton and A. R. Barron, *Main Group Chem.*, 2009, **8**, 275-281.
367. Small molecule capture and release from PEI-functionalized single walled carbon nanotubes, E. Dillon, M. S. Bhutani, and A. R. Barron, *J. Mater. Chem., B*, 2013, **1**, 1461-1465.
368. A simple quick route to fullerene amino acid derivatives. T. A. Strom and A. R. Barron, *Chem. Commun.*, 2010, 4764-4766.

369. Nitrene addition to exfoliated graphene: a one-step route to highly functionalized graphene. T. A. Strom, E. P. Dillon, C. E. Hamilton, and A. R. Barron, *Chem. Commun.*, 2010, 4097-4099.
370. A simple route to enhanced photocatalytic activity of P25 titanium dioxide nanoparticles by silica addition. H. R. Jafry, M. V. Liga, Q. Li, and A. R. Barron, *Environ. Sci. Technol.*, 2011, **45**, 1563–1568.
- 371.** Imbedding germanium quantum dots in silica by means of a modified Stoeber method. H. Rutledge, B. L. Chatelain, and A. R. Barron, in preparation.
372. Silver nanotechnology as a doorway to science education and practice-based learning. A. W. Orbaek, M. Phillips, R. T. Hamerly, L. Bodunrin, E. Rivera, A. Frewer, M. McHale, and A. R. Barron, submitted for publication.
373. Nanoscale enzyme inhibitors: fullerenes inhibit carbonic anhydrase by occluding the active site entrance A. Innocenti, S. Durdagi, N. Doostdar, T. A. Strom, A. R. Barron, C. T. Supuran, *Biorg. Med. Chem.*, 2010, **18**, 2822-2828.
374. Organic photovoltaics using thin gold film as an alternative anode to indium tin oxide. A. Haldar, S. D. Yambem, K.-S. Liao, E. P. Dillon, A. R. Barron, and S. A. Curran, *Thin Solid Films*, 2011, **519**, 6169-6173.
375. Synthesis of calcium-silica composites: a route towards an in-vitro model system for calcific band keratopathy precipitates. N. Doostdar, C. Smith, M. B. Hamill, and A. R. Barron, *J. Biomed Mater. Res.*, 2011, **99A**, 173-183.
376. Towards a ‘catalyst activity map’ regarding the nucleation and growth of single walled carbon nanotubes. A. W. Orbaek and A. R. Barron, *J. Exp. Nanosci.*, 2013, **8**, in press.
377. Polyethyleneimine functionalized nanocarbon for the efficient absorption of carbon dioxide with a low temperature of regeneration. E. Dillon, E. Andreoli, L. Cullum, and A. R. Barron, in preparation.
378. Single walled carbon nanotubes (SWNTs) as templates for the growth of TiO<sub>2</sub>: the effect of silicon in coverage and the positive and negative synergies for the photocatalytic degradation of Congo red dye. H. R. Jafry, M. V. Liga, Q. Li, and A. R. Barron, *New J. Chem.*, 2011, **35**, 400-406.
379. Unusual co-crystallization of both monomeric and dimeric forms of Cu[PhN(py)(quin)]Cl<sub>2</sub>. J. J. Allen and A. R. Barron, *J. Chem. Cryst.*, 2011, **41**, 654-663.
380. Wet catalyst-support films for production of vertically aligned carbon nanotubes. N. T. Alvarez, C. E. Hamilton, C. L. Pint, A. W. Orbaek, J. Yao, A. L. Frosinini, A. R. Barron, J. M. Tour, and R. H. Hauge, *ACS Appl. Mater. Interfaces*, 2010, **2**, 1851–1856.
381. Demonstration of remote steric differentiation of *cis/trans* alkene coordination in copper(I) complexes of aryl substituted *bis*(2-pyridyl)amine, J. J. Allen and A. R. Barron, *Dalton Trans.*, 2011, **40**, 1189-1194.

382. Single-walled carbon nanotubes: differential genotoxic potential associated with physico-chemical properties, B. Manshian, G. J. S. Jenkins, P. M. Williams, C. Wright, A. R. Barron, A. P. Brown, N. Hondow, P. R. Dunstan, R. Rickman, K. Brady, and S. H. Doak, *Nanotoxicology*, 2013, **7**, in press.
383. A new functionalization strategy for oil/water separation membranes, S. J. Maguire-Boyle and A. R. Barron, *J. Membrane Sci.*, 2011, **382**, 107-115.
384. How is the experience of the Rice Alliance relevant to the development of the yellow river delta eco-economic zone Binzhou? A. R. Barron, *J. Binzhou University*, 2011, **27**, 29-31.
385. Thin films of silica imbedded silicon and germanium quantum dots by solution processing, B. L. Oliva and A. R. Barron, *Mat. Sci. Semicon.*, 2012, **15**, 713-721.
386. Big things in small packages. A. R. Barron, J. M. Tour, A. A. Busnaina, Y. J. Jung, S. Somu, M. Y. Kanj, D. Potter, D. Resasco, and J. Ullo, *Oilfield Rev.*, 2010, 38-49.
387. Increasing the efficiency of single walled carbon nanotube amplification by Fe-Co catalysts through the optimization of CH<sub>4</sub>:H<sub>2</sub> partial pressures. A. W. Orbaek, A. C. Owens, and A. R. Barron, *Nano Lett.*, 2011, **11**, 2871-2874.
388. Poly(vinylpyrrolidone) stabilized silver nanoparticles for strained-silicon surface enhanced Raman spectroscopy. S. J. Coor, L. O'Reilly, E. P. Dillon, A. R. Barron, and P. J. McNally, *J. Raman Spectrosc.*, 2011, **42**, 2085-2088.
390. Dextran coated ultrafine superparamagnetic iron oxide nanoparticles: compatability with common fluorometric and colorimetric dyes. S. M. Griffiths, N. Singh, G. J. S. Jenkins, P. M. Williams, A. W. Orbaek, A. R. Barron, C. Wright, and S. H. Doak, *Anal. Chem.*, 2011, **83**, 3778-3785.
391. Optimisation of organic solar cells with thin film Au as anode. S. D. Yambem, A. Haldar, K. S. Liao, E. P. Dillon, A. R. Barron, and S. A. Curran, *Sol. Energ. Mat. Sol. C.*, 2011, **95**, 2424-2430.
392. Catalyst composition dependance on carbon nanotube growth. A. W. Orbaek, A. C. Owens, and A. R. Barron, in preparation.
393. Effect of carbon nanotube-fullerene hybrid additives on P3HT:PCBM bulk heterojunction organic photovoltaics, N. J. Alley, K.-S. Liao, E. Andreoli, S. Dias, E. P. Dillon, A. W. Orbaek, A. R. Barron, H. J. Byrne, and S. A. Curran, *Synthetic Met.*, 2012, **162**, 95-101.
394. Complications pertaining to the detection and characterization of individual and embedded single walled carbon nanotubes by scanning electron microscopy, A. W. Orbaek and A. R. Barron, *Nanoscale*, 2013, **5**, 2790-2797.
395. From source to use: How the armchair quantum wire can enable a sustainable global energy future. A. R. Barron, *Public Service Review: European Union*, 2011, **22**, 232-233.
396. The light at the end of the tunnel. A. R. Barron, *Public Service Review: European Union*, 2012, **23**, 438-439.

397. M. Barron and A. R. Barron, *Project Management for Scientists and Engineers*, Connexions, Houston (2009).
398. M. Barron, A. R. Barron, M. I. Jones, and R. Fisher, *Project Management Skill for All Careers*, Project Management Open Resources and TAP-a-PM (2011).
399. Silica decorated TiO<sub>2</sub> for virus inactivation in drinking water – green synthesis method and mechanism of enhancement, M. V. Liga, S. J. Maguire-Boyle, H. R. Jafry, A. R. Barron, and Q. Li, submitted for publication.
400. Overcoming “coffee-stain” effect by compositional marangoni flow assisted drop-drying, M. Majumder, C. S. Rendall, J. A. Eukel, J. Y. L. Wang, N. Behabtu, C. L. Pint, T.-Y. Liu, A. W. Orbaek, F. Mirri, J. Nam, A. R. Barron, R. H. Hauge, H. K. Schmidt, and M. Pasquali, *J. Phys. Chem., B*, 2012, **116**, 6536-6542.
401. Alumoxane/ferroxane nanoparticles for the removal of viral pathogens: the importance of surface functionality to nanoparticle activity. S. J. Maguire-Boyle, M. V. Liga, Q. Li, and A. R. Barron, *Nanoscale*, 2012, **4**, 5627-5632.
402. A fractious issue. A. R. Barron, *Public Service Review: European Union*, 2012, **24**, 252-253.
403. Removal of metal ions from water by hydroxyfullerene. R. E. Anderson, A. W. Orbaek, and A. R. Barron, in preparation.
404. Automated method for determining the flow of surface functionalized nanoparticles through a mineral formation using plasmonic silver nanoparticles. S. J. Maguire-Boyle, A. W. Orbaek, and A. R. Barron, in preparation.
405. Catalytic epoxidation of C<sub>60</sub> using Mo(O)<sub>2</sub>(acac)<sub>2</sub>/<sup>t</sup>BuOOH. R. E. Anderson and A. R. Barron, *Dalton Trans.*, 2013, **42**, 2186-2191.
406. Fullerene-based inhibitors of HIV-1 protease. T. A. Strom, S. Durdagi, C. T. Supuran, and A. R. Barron, in preparation.
407. Wetting behaviour and activity of catalyst supports in carbon nanotube carpet growth, P. B. Amama, S. A. Putnam, A. R. Barron, and B. Maruyama, *Nanoscale*, 2013, **5**, in press.
408. SiO<sub>2</sub> template-derived polyurethane and alumina nanoparticle-polyurethane lithium ion separator membranes. J. Yang, T. J. Barbarich, and A. R. Barron, *Main Group Chem.*, 2013, **12**, in press.
409. Polyethyleneimine-C<sub>60</sub> conjugate for the high efficient absorption of carbon dioxide. E. Andreoli, E. Dillon, L. Cullum, and A. R. Barron, in preparation.
410. Separation of hydrocarbons from frac water without fouling using super hydrophilic membranes. S. J. Maguire-Boyle, J. E. Huszman, and A. R. Barron, in preparation.
411. Coating carbon nanotubes with lead sulfide and bismuth sulfide. H. R. Jafry and A. R. Barron, *Main Group Chem.*, 2013, **12**, in press.

412. Thin Film CdSe/CuSe Photovoltaic on a flexible single walled carbon nanotube substrate. C. E. Hamilton, D. J. Flood, and A. R. Barron, *Phys. Chem. Chem. Phys.*, 2013, **15**, 3930-3938.
413. The role of silicon containing compounds in the formation and morphology of calcific band keratopathy precipitates. N. Doostdar, C. Smith, M. B. Hamill, and A. R. Barron, in preparation.
414. Nanopore-type black silicon anti-reflection layers fabricated by a one-step silver-assisted chemical etching. Y.-T. Lu and A. R. Barron, submitted for publication.